

TRUSTED IN AUSTRALIA FOR OVER 27 YEARS

Product Guide

- > Commercial Stainless Steel Products
- > Commercial Tapware Solutions
- > Linear Grates and Accessories





Australian Owned.

3monkeez® is a leading manufacturer and supplier of stainless steel products and commercial tapware products for the plumbing, drainage and catering industries.

Products that are designed, engineered and tested in Australia for Australian conditions.



CONTENTS






























O8 FLOOR WASTES



O9 LINEAR DRAINS, INCLUDING IN2GR8



AMBULANT & DISABILITY (AS 1428 compliant)




11 SIGN OFF SHEETS

WE EXIST·····


TO INNOVATE

With improved designs and new products that help our customers do their job better, faster and more reliably.




TO Create

Better value for money whilst maintaining compliance with regulations.



TO Deliver

Quickly due to having a complete range stocked across a number of warehouse locations. Our aim is not only to have products readily available to supply, but to support all of our customer enquiries with the best trained technical advisors in the category.







START BY CALLING OUR W.I.S.E. ADVICE CENTRE.







Information



Support




Experience

WE ARE READY TO TAKE YOUR CALL NOW.

We will work with you to make any job a success.

Our team have a background in the same industry as you, so we can talk your language to deliver the right products and service as efficiently as possible.

NSW: 02 9627 6111 TAS: 03 6344 7060 ACT: 02 9627 6111 WA: 08 6305 0681 QLD: 07 3881 0322 NT: 08 8984 3011 VIC: 03 9357 6562 FNQ: 07 4775 6956



THE IMMEDIATE FUTURE

including January 2018:



A boosted Australian manufacturing capability.



A new interactive catalogue – available on www.3monkeez.com.au – you can select, choose & specify with even greater accuracy & speed.

Regardless, we will continue to support your projects; big or small, with the same WISE ADVICE covering your technical and sales enquiries to ensure you can deliver on time and within budget.



NOTES

- .
- .
- •
- .
- •
- •

CALL DUR WILSE ADVICE CENTRE







Information




Support

FNQ: 07 4775 6956







We will work with you to make any job a success.

Our team have a background in the same industry as you, so we can talk your language to deliver the right products and service as efficiently as passible.



NSW: 02 9627 6111 TAS: 03 6344 7060 ACT: 02 9627 6111 WA: 08 6305 0681 QLD: 07 3881 0322 NT: 08 8984 3011






REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
1.01	Dual Hob Mount Pre-Rinse	1.24	Tap Body Accessories
1.02	Dual Hob Mount Pre-Rinse with Pot Filler	1.25	Pot Fillers & Risers
1.03	Wall Mount Pre-Rinse	1.26	Pre-Rinse Accessories
1.04	Wall Mount Pre-Rinse with Pot Filler	1.27	Pre-Rinse Hoses
1.05	Wall Stops & Elbow Pre-Rinse	1.28	Trigger Valve & Handle
1.06	Wall Stops & Elbow Pre-Rinse with Pot Filler	1.29	Dual Hob Mount Tap Body with Spout
1.07	Hob Mount No Stops Pre-Rinse	1.30	Exposed Wall Mount Tap Body with Spout
1.08	Hob Mount No Stops Pre-Rinse with Pot Filler	1.31	Wall Stops & Elbow with Spout
1.09	Dual Hob Mount Line Retractor Pre-Rinse	1.32	Wall Elbow with Spout
1.10	Dual Hob Mount Line Retractor Pre-Rinse with Pot Filler	1.33	Concealed Hob Set with Spout
1.11	Pre-Rinse Sub Assembly	1.34	Hob Mount with Spout
1.12	Pre-Rinse Sub Assembly with Pot Filler	1.35	Stainless Steel Standard Mixers
1.13	Dual Hob Mount Pre-Rinse - Café	1.36	Stainless Steel Lever Mixers
1.14	Dual Hob Mount Pre-Rinse with Pot Filler - Café	1.37	Hob Mount Sensor Tap
1.15	Wall Mount Pre-Rinse - Café	1.38	Wall Mount Sensor Tap
1.16	Wall Mount Pre-Rinse with Pot Filler - Café	1.39	Push Button Tapware
1.17	Wall Stops & Elbow Pre-Rinse - Café	1.40	Lever Handle Tapware
1.18	Wall Stops & Elbow Pre-Rinse with Pot Filler - Café	1.41	Bubblers
1.19	Pre-Rinse Sub Assembly - Café	1.42	Bubblers Wall Mount
1.20	Pre-Rinse Sub Assembly with Pot Filler - Café	1.43	Pot & Kettle Fillers
1.21	Dual Hob Mount Tap Body	1.44	Hot Wash Reel
1.22	Exposed Wall Mount Tap Body	1.45	Cleaners Sink Tap Set
1.23	Wall Tap Assembly & Elbow	1.46	Twinners





























REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
2.01	1.2mm Hand Fabricated Bowls	2.13	Compact 11L Hand Basin
2.02	1.5mm Hand Fabricated Bowls	2.14	Round Disabled Compliant Hand Basin
2.03	1.5mm Laboratory Bowls	2.15	Square Disabled Compliant Hand Basin
2.04	Pressed Sink Bowls	2.16	Inset Hand Basin
2.05	Round Pressed Sink Bowls	2.17	Hands Free Knee Operated Basin
2.06	Inset Sink	2.18	Hands Free Knee Operated Basin - Timed Flow
2.07	Wall Mounted Hand Basin	2.19	Round Hands Free Knee Operated Basin - Timed Flow
2.08	Wall Mounted Hand Basin with Splashback	2.20	Knee Operated Basin Spare Parts
2.09	Round Hand Basin	2.21	Inset Bar Sink
2.10	Round Hand Basin with 300mm Shroud	2.22	Cleaners Sink with Brackets
2.11	Corner Hand Basin	2.23	Cleaners Sink with Legs
2.12	Compact Hand Basin		





























REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
3.01	Adjustable Glass Rack Kit	3.10	Stainless Steel Adjustable Feet
3.02	Adjustable Glass Rack Accessories	3.11	Nylon Leg Insert
3.03	Adjustable Dishwasher Rack Kit	3.12	Nylon Adjustable Feet
3.04	Adjustable Dishwasher Rack Accessories	3.13	Adjustable Feet
3.05	Stainless Steel Drawer	3.14	Plastic Tube Closures
3.06	Stainless Steel Gastronorm Drawer	3.15	Drawer Handles & Pulls
3.07	Freestanding Drawer Unit	3.16	Stainless Steel Adjustable Leg & Mounting Plate
3.08	Weld In Insulated Ice Well - 300mm x 300mm	3.17	Stainless Steel Hinges
3.09	Weld In Insulated Ice Well - 350mm x 400mm	3.18	Utility Lock

































REFERENCE NUMBER	ITEM
4.01	Pattern Trough 1
4.02	Pattern Trough 2
4.03	Pattern Trough 3
4.04	Pattern Trough 4
4.05	Flushline Trough

REFERENCE NUMBER	ITEM
4.06	Art Trough
4.07	Walls End Pattern Trough
4.08	Practical Activities Trough
4.09	Practical Activities Trough with 80mm Hob
4.10	Pattern Trough PWD



SEE OVER FOR FLYLI RANGE










Proctical Authorities Transpo with 300mm Hole





REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
5.01	Soap Dispensers	5.11	Silver Door Signs - 150mm x 150mm
5.02	Paper Towel Dispensers	5.12	Silver Door Signs - 210mm x 180mm
5.03	Paper Towel Dispensers with Waste Receptacle	5.13	Robe Hooks
5.04	Toilet Roll Holders	5.14	Baby Bath
5.05	Toilet Roll Holders	5.15	Stainless Steel Mirror
5.06	Toilet Lock & Indicator Sets	5.16	Straight Grab Rails
5.07	Folding Shower Seat, Baby Change Stations and Disabled Compliant Mirror	5.17	Angled Grab Rails
5.08	Hand Dryer & Utility Shelves	5.18	Back Rests
5.09	Blue Door Signs - 150mm x 150mm	5.19	Back Rests with Integrated Grab Rail
5.10	Blue Door Signs - 210mm x 180mm		


























06 URINALS, FLUSHING & TOILET PANS



REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
6.01	Deluxe Slab Urinal	6.14	Stainless Steel Cistern Case
6.02	Standard Slab Urinal	6.15	Cistern Spare Parts
6.03	Standard Wall Hung Urinal	6.16	Pedestal Toilet Pan - P Trap
6.04	Urinette	6.17	Pedestal Toilet Pan - S Trap
6.05	Pod Urinal	6.18	Wall Faced Toilet Pan
6.06	Urinal Parts	6.19	Ambulant Wall Faced Toilet Pan
6.07	Spreaders	6.20	Disabled Compliant Wall Faced Toilet Pan
6.08	Stainless Steel Pull Chain Cistern	6.21	Wall Faced Closed Coupled Toilet Pan
6.09	Stainless Steel Dual Flush Cistern	6.22	Disabled Compliant Wall Faced Closed Coupled Toilet Pan
6.10	Stainless Steel Disabled Compliant Dual Flush Cistern	6.23	Toilet Seats
6.11	Stainless Steel Front Press Cistern	6.24	In Wall Cistern (suits Toilet Pans)
6.12	Stainless Steel Side Press Cistern	6.25	In Wall Cistern (suits Urinette & Pod Urinal)
6.13	Flushpipes		






























REFERENCE NUMBER	ITEM
7.01	Sink Waste Arrestor (suits 90mm outlet)
7.02	Sink Waste Arrestor (suits 127mm outlet)
7.03	Cast Stainless Steel Sink Waste Arrestor (suits 90mm outlet)
7.04	Cast Stainless Steel Sink Waste Arrestor (suits 127mm outlet)
7.05	Cast Stainless Steel Shut Off Valve
7.06	Cast Stainless Steel Sink Waste Arrestor with Shut Off Valve (<i>suits 90mm outlet</i>)
7.07	Cast Stainless Steel Sink Waste Arrestor with Shut Off Valve (suits 127mm outlet)

REFERENCE NUMBER	ITEM
7.08	Sink Wastes - Standard & Designer
7.09	Domestic Sink Waste Arrestor (suits 90mm outlet)
7.10	Pre-Rinse Scrapbaskets
7.11	Clay / Plaster Arrestor
7.12	Clay Arrestor
7.13	Plaster Trap
7.14	Tundish





























REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
8.01	100mm Drop in Floor Waste Arrestor	8.13	150mm Square Floor Waste
8.02	150mm Round Floor Waste Arrestor	8.14	200mm Square Floor Waste - 100mm Pipe
8.03	150mm Square Floor Waste Arrestor	8.15	200mm Square Floor Waste - 150mm Pipe
8.04	200mm Square Floor Waste Arrestor	8.16	225mm Square Floor Waste - 100mm Pipe
8.05	100mm Vinyl Floor Waste Arrestor	8.17	225mm Square Floor Waste - 150mm Pipe
8.06	100mm Vinyl Floor Waste	8.18	250mm Square Floor Waste - 100mm Pipe
8.07	130mm Round Clear Out	8.19	250mm Square Floor Waste - 150mm Pipe
8.08	150mm Round Clear Out	8.20	300mm Square Floor Waste - 100mm Pipe
8.09	130mm Round Vinyl Floor Clear Out	8.21	300mm Square Floor Waste - 150mm Pipe
8.10	200mm Round Vinyl Floor Clear Out	8.22	150mm Round Vinyl Floor Waste - 100mm Pipe
8.11	112mm Round Floor Waste	8.23	200mm Round Vinyl Floor Waste - 150mm Pipe
8.12	150mm Round Floor Waste		



Range Summary SEE OVER FOR FIX.L RANGE

























O9 LINEAR DRAINS, IN2GR8 & WEDGE WIRE SHEETS

REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
9.01	In2Gr8 - V Bottom 50 Series	9.12	Floor Trough 1
9.02	In2Gr8 - V Bottom 75 Series	9.13	Floor Trough 2
9.03	In2Gr8 - V Bottom 100 Series	9.14	Floor Grate & Frame
9.04	In2Gr8 - V Bottom 125 Series	9.15	Floor Trough 4
9.05	In2Gr8 - V Bottom 150 Series	9.16	Floor Trough 5
9.06	In2Gr8 - Flat Bottom 75 Series	9.17	Smart Trough
9.07	In2Gr8 - Flat Bottom 100 Series	9.18	Floor Sump
9.08	100mm Square Tile Insert Point Drain	9.19	Grating Profiles
9.09	130mm Square Tile Insert Point Drain	9.20	Wedge Wire - G100
9.10	130mm Square Stainless Steel Tile Insert Point Drain	9.21	Wedge Wire - G200
9.11	130mm Wedge Wire Point Drain	9.22	Wedge Wire - G300






























REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
10.01	Round Disabled Compliant Hand Basin	10.12	Blue Door Signs - 150mm x 150mm
10.02	Square Disabled Compliant Hand Basin	10.13	Blue Door Signs - 210mm x 180mm
10.03	Disabled Compliant Wall Faced Toilet Pan	10.14	Silver Door Signs - 150mm x 150mm
10.04	Disabled Compliant Wall Faced Close Coupled Toilet Pan	10.15	Silver Door Signs - 210mm x 180mm
10.05	Ambulant Wall Faced Toilet Pan	10.16	Stainless Steel Lever Mixers
10.06	Disabled Compliant Stainless Steel Dual Flush Cistern	10.17	Hob Mount Sensor Tap
10.07	Toilet Seats	10.18	Wall Mount Sensor Tap
10.08	Straight Grab Rails	10.19	Lever Handle Tapware
10.09	Angled Grab Rails	10.20	In Wall Cistern (suits Toilet Pans)
10.10	Folding Shower Seat, Baby Change Stations and Disabled Compliant Mirror	10.21	Back Rests
10.11	Hand Dryer & Utility Shelves	10.22	Back Rests with Integrated Grab Rail





\$0.01 Round Disabled Compliant Hand Sosin

Square Disabled Compliant Hand Basin 10.02

Disabled Complaint Wall Faced Close Coupled Todes Pan







Disabled Compliant Dust Flush Cutern

10.09 Angied Gest Rolls













11.01 M-HF - Hand Fabricated Bowls 11.16 M-FT-8 - In2Gr8 Linear Drain 11.02 M-LS-1 - Laboratory Bowl 11.17 M-FT-1 - Floor Trough 11.03 M-PT-1 - Pattern Trough 1 11.18 M-FT-2 - Floor Trough 11.04 M-PT-2 - Pattern Trough 2 11.19 M-FT-3 - Grate & Frame
11.03 M-PT-1 - Pattern Trough 1 11.18 M-FT-2 - Floor Trough
11.04 M-PT-2 - Pattern Trough 2 11.19 M-FT-3 - Grate & Frame
11.05 M-PT-3 - Pattern Trough 3 11.20 M-FT-4 - Floor Trough
11.06 M-PT-4 - Pattern Trough 4 11.21 M-FT-5 - Floor Trough
11.07 M-PT-5 - Flushline Trough 11.22 M-FT-6 - Smart Trough
11.08 M-PT-6 - Art Trough 11.23 M-FS-1 - Floor Sump
11.09 M-PT-7 - Wallsend Pattern Trough 11.24 M-SBGO / M-WWGO - Grate Only
11.10 PT-7 - Wallsend Pattern Trough Off The Shelf 11.25 M-DSUR - Deluxe Slab Urinal
11.11 M-PT-8 - Practical Activites Trough 11.26 M-SSUR - Standard Slab Urinal
11.12 M-PT-9 - Practical Activities Trough with Hob 11.27 M-SWHUR - Wall Hung Urinal
11.13 M-PWD - Pattern Trough PWD 11.28 CIS-60-1 - Cistern Case
11.14 M-FT-7 - In2Gr8 Linear Drain - G200 11.29 M-SS-MIR - Stainless Steel Mirror
11.15 M-FT-7 - In2Gr8 Linear Drain - G300

NOTES

- .
- .
- •
- .
- •
- .

CALL DUR WILSE ADVICE CENTRE







Information



Support





READY TO TAKE YOUR CALL NOW.

We will work with you to make any job a success.

Our team have a background in the same industry as you, so we can talk your language to deliver the right products and service as efficiently as possible.




NSW: 02 9627 6111 TAS: 03 6344 7060 ACT: 02 9627 6111 WA: 08 6305 0681 QLD: 07 3881 0322 NT: 08 8984 3011 VIC: 03 9357 6562 FNQ: 07 4775 6956



























STAINLESS STEEL EVOLUTIONS

Innovate · Create · Deliver

FEATURE PRODUCT

CLEAN 🗘 JET"

COMMERCIAL PRE-RINSE

- First in full stainless steel*
- Variable spray gun · Multiple settings with same handle
- Fully assembled AND bench tested in Australia
- Fully compliant
 - · 6 star WELS rating
 - Watermark approved

*Includes saying, optional par fillers, haves and barrel.

** Eschates jumper valves

"Registered Trademark Imonkers Pty Ltd





W.I.S.E. Advice Centre (02) 9627 6111 For Wisdom >> Information >> Support >> Experience





REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
1.01	Dual Hob Mount Pre-Rinse	1.24	Tap Body Accessories
1.02	Dual Hob Mount Pre-Rinse with Pot Filler	1.25	Pot Fillers & Risers
1.03	Wall Mount Pre-Rinse	1.26	Pre-Rinse Accessories
1.04	Wall Mount Pre-Rinse with Pot Filler	1.27	Pre-Rinse Hoses
1.05	Wall Stops & Elbow Pre-Rinse	1.28	Trigger Valve & Handle
1.06	Wall Stops & Elbow Pre-Rinse with Pot Filler	1.29	Dual Hob Mount Tap Body with Spout
1.07	Hob Mount No Stops Pre-Rinse	1.30	Exposed Wall Mount Tap Body with Spout
1.08	Hob Mount No Stops Pre-Rinse with Pot Filler	1.31	Wall Stops & Elbow with Spout
1.09	Dual Hob Mount Line Retractor Pre-Rinse	1.32	Wall Elbow with Spout
1.10	Dual Hob Mount Line Retractor Pre-Rinse with Pot Filler	1.33	Concealed Hob Set with Spout
1.11	Pre-Rinse Sub Assembly	1.34	Hob Mount with Spout
1.12	Pre-Rinse Sub Assembly with Pot Filler	1.35	Stainless Steel Standard Mixers
1.13	Dual Hob Mount Pre-Rinse - Café	1.36	Stainless Steel Lever Mixers
1.14	Dual Hob Mount Pre-Rinse with Pot Filler - Café	1.37	Hob Mount Sensor Tap
1.15	Wall Mount Pre-Rinse - Café	1.38	Wall Mount Sensor Tap
1.16	Wall Mount Pre-Rinse with Pot Filler - Café	1.39	Push Button Tapware
1.17	Wall Stops & Elbow Pre-Rinse - Café	1.40	Lever Handle Tapware
1.18	Wall Stops & Elbow Pre-Rinse with Pot Filler - Café	1.41	Bubblers
1.19	Pre-Rinse Sub Assembly - Café	1.42	Bubblers Wall Mount
1.20	Pre-Rinse Sub Assembly with Pot Filler - Café	1.43	Pot & Kettle Fillers
1.21	Dual Hob Mount Tap Body	1.44	Hot Wash Reel
1.22	Exposed Wall Mount Tap Body	1.45	Cleaners Sink Tap Set
1.23	Wall Tap Assembly & Elbow	1.46	Twinners



PRODUCT CODE: T-3M53007

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Dual hob tap body includes inlet hoses - 1/2 turn rising spindles
- · Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty








Top



Working pressure range 150 - 1000kPa

Maximum hot water temperature - 80°C

Front



Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.







Тор



Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Side

PRODUCT CODE:

T-3M53015 (6" pot filler) **T-3M53058** (12" pot filler)


The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Dual hob tap body includes inlet hoses -1/2 turn rising spindles
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty



Front





Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.





T-3M53430


The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES AND BENEFITS:

- Stainless steel construction
- Exposed wall mount tap body including spreaders - 1/2 turn rising spindles
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- \bullet Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty




Top




Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Front



Side











T-3M53449 (6" pot filler) T-3M53473 (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:

- · Stainless steel construction
- Exposed wall mount tap body including spreaders - 1/2 turn rising spindles
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- · Stay open clip for prolonged use
- · Fully assembled and bench tested
- 24 month warranty






Top



Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Front









T-3M53810

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES AND BENEFITS:

- Stainless steel construction (CP brass wall top assemblies)
- Wall elbow and 1/4 turn ceramic disc wall stops to suit concealed breech
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty








Top

Variable - Dependent on Breech Used Breech Not Supplied



Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C

Front Side







T-3M53816 (6" pot filler) **T-3M53822** (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:


- Stainless steel construction (CP brass wall top assemblies)
- Wall elbow and 1/4 turn ceramic disc wall stops to suit concealed breech
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- · Stay open clip for prolonged use
- · Fully assembled and bench tested
- 24 month warranty





Top

Variable - Dependant on Breech Used Breech Not Supplied



Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Front

Side









Top



Front


Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

T-3M53200

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Hob mount body no stops
- 1/2" FI BSP inlet
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty



JZ"FI BSP

















T-3M53206 (6" pot filler) **T-3M53212** (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Hob mount body no stops
- 1/2" FI BSP inlet
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty






Top




Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Front



Side







PRODUCT CODE: T-3M53500

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Dual hob tap body includes inlet hoses
 1/2 turn rising spindles
- Line retractor with 1800mm cable
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty







Тор



Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C

Mounting height must maintain minimum air gap

Front











T-3M53506 (6" pot filler)
T-3M53512 (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Dual hob tap body includes inlet hoses -1/2 turn rising spindles
- Line retractor with 1800mm cable
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty





Top




Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C Mounting height must maintain minimum air gap

Front











PRODUCT CODE: T-3M2928

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:


- Stainless steel construction
- 3/8" MI BSP riser thread
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty







Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C









T-3M2928-06 (6" pot filler) T-3M2928-12 (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- 3/8" MI BSP riser thread
- 6" or 12" pot filler 3 star 8LPM
- · Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- · Fully assembled and bench tested
- 24 month warranty






Top



Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C









PRODUCT CODE: T-3M53007-C

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Dual hob tap body includes inlet hoses
 1/2 turn rising spindles
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty






Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C





Side















T-3M53015-C (6" pot filler) **T-3M53058-C** (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Dual hob tap body includes inlet hoses -1/2 turn rising spindles
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- · Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty




Top



Working pressure range 150 – 1000kPa Maximum hot water temperature - 80°C

Front Side







PRODUCT CODE: T-3M53430-C

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:


- Stainless steel construction
- Exposed wall mount tap body including spreaders - 1/2 turn rising spindles
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty








Top




Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C

Front



Side










T-3M53449-C (6" pot filler)
T-3M53473-C (12" pot filler)


The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Exposed wall mount tap body including spreaders - 1/2 turn rising spindles
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- · Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty













PRODUCT CODE: T-3M53810-C

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction (CP brass wall top assemblies)
- Wall elbow and 1/4 turn ceramic disc wall stops to suit concealed breech
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty








Тор

Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C



Front Side







T-3M53816-C (6" pot filler)
T-3M53822-C (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction (CP brass wall top assemblies)
- Wall elbow and 1/4 turn ceramic disc wall stops to suit concealed breech
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- · Stay open clip for prolonged use
- · Fully assembled and bench tested
- 24 month warranty






Top

Variable - Dependant on Breech Used Breech Not Supplied Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C



Side



172" FLBSP







PRODUCT CODE: T-3M2928-C

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- · Stainless steel construction
- 3/8" MI BSP riser thread
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty






Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C





Side



CLEAN A JET











T-3M2928-06-C (6" pot filler) **T-3M2928-12-C** (12" pot filler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- 3/8" MI BSP riser thread
- 6" or 12" pot filler 3 star 8LPM
- Self closing high water efficiency with a 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- Fully assembled and bench tested
- 24 month warranty








Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Front



Side







T-3M63134

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:

- · Stainless steel construction
- Dual hob tap body includes inlet hoses
- 1/2 turn rising spindles
- Inlet hoses have 1/2" FI BSP loose nut and tail
- 3/8" FI BSP riser connection
- Watermarked
- 24 month warranty





Front



Top



Working pressure range

Side









T-3M61689

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:

- Stainless steel construction
- Exposed wall mount tap body including spreaders
- 1/2 turn rising spindles
- 1/2" FI BSP inlet
- 3/8" FI BSP riser connection
- Watermarked
- 24 month warranty










Front



Side







T-3M61200 Wall Elbow and Wall Stops



T-3MWELB
Wall Elbow

FEATURES & BENEFITS:

- Stainless steel construction
- 1/2" FI BSP inlet
- 3/8" FI BSP riser connection
- Watermarked
- 24 month warranty



PRODUCT CODE

T-3M120000 Wall Top Assembly


FEATURES & BENEFITS:

- 1/4 turn ceramic disc lever handles
- Watermarked
- 24 month warranty






Front




Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C





Front



Top







T-3M4016

T-3M2000-0001

T-3M2000-0002

T-3M2000-0003

T-3M2000-0004

T-3M2000-0005

T-3M2000-0006

FEATURES & BENEFITS:

T-3M4016

- Inlet Hoses (pair

- 1/2" FI BSP loose nut and tail to M-10
- Suits T-3M63134

T-3M2000-0001

- Jumper Valve and Spring
- Stainless steel
- Suits T-3M63134, T-3M61689, T-3M203006 and T-3M203012

T-3M2000-0002

- Handle Only Hot
- Stainless steel
- Suits T-3M63134, T-3M61689, T-3M203006 and T-3M203012

T-3M2000-0003

- Handle Only Cold
- Stainless steel
- Suits T-3M63134, T-3M61689, T-3M203006 and T-3M203012

T-3M2000-0004

- Tap Body Repair Kit Hot
- Stainless steel
- Suits T-3M63134 and T-3M61689

T-3M2000-0005

- Tap Body Repair Kit Cold
- Stainless steel
- Suits T-3M63134 and T-3M61689

T-3M2000-0006

- Pot Filler Repair Kit
- Stainless steel
- Suits T-3M203006 and T-3M203012

T-3M4016



T-3M2000-0002



T-3M2000-0004



T-3M2000-0006



T-3M2000-0001



T-3M2000-0003



T-3M2000-0005








T-3M203006 (6" pot filler) T-3M203012 (12" pot filler) T-3M3006 (6" spout only) T-3M3012 (12" spout only) T-3M2927-50 T-3M2927-70 (70mm riser) T-3M2927-115 T-3M2927-365 (365mm riser) T-3M2927-400 (400mm riser)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Risers have 3/8" MI BSP connections
- Pot filler tap body has 3/8" FI BSP connection
- 6" (150mm) or 12" (300mm) spout available - 3 Star 8LPM
- 24 month warranty










T-3M2927-50 - 50mm Riser T-3M2927-70 - 70mm Riser T-3M2927-115 - 115mm Riser T-3M2927-365 - 365mm Riser







T-3M533814-B T-3M8206 T-3M2902-300 T-3M8101 T-3M8101-C

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

T-3M533814-B - Spring to Riser Adaptor

- Stainless steel construction
- Suits 3/8" MI BSP riser
- Suits 1/2" FI BSP pre-rinse hose

T-3M8206 - Hose Hook

- Stainless steel construction
- Retains pre-rinse hose and trigger valve

T-3M2902-300 - Wall Bracket 300mm Long

- Stainless steel construction
- Adjustable 50mm 300mm

T-3M8101 - Spring Guard

- Stainless steel construction
- Heavy duty
- Suits full pre-rinse

T-3M8101-C - Spring Guard For Café

- Stainless steel construction
- Heavy duty
- Suits café pre-rinse

All parts include a 24 month warranty

T-3M533814-B



T-3M8206



T-3M2902-300



T-3M8101



T-3M8101-C







T-3M2914-C T-3M2914-S T-3M2910 T-3M2911 T-3M2914-S-A T-3M561234 T-3M561214 T-3M56EN12

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

T-3M2914-C / T-3M2914-S / T-3M2910 / T-3M2911

• 1/2" FI BSP ends

T-3M2914-S-A

 Includes adaptors - 1/4" MI BSP x 3/4" MI UNS

T-3M561234


 Suits Fisher handle and 1/2" FI BSP Hose

T-3M561214

Suits Fisher riser adaptor and 1/2"
 FI BSP Hose

T-3M56EN12

 Suits Encore and T&S riser adaptor and 1/2" FI BSP Hose





Also suits Enware, Galvin and Rinse-Maid

T-3M2914-S-A - 900mm



Juics I Isrici

T-3M561234



Adaptor 1/2" MI BSP x 3/4" MI UNS

T-3M561214



Adaptor 1/2" MI BSP x 1/4" MI BSP

T-3M56EN12



Adaptor 1/2" MI BSP x 3/4" FI UNS










T-3M2950-2913A

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:

- Stainless steel construction
- Self closing high water efficient 6 star 4LPM VARIABLE trigger valve
- Stay open clip for prolonged use
- 24 month warranty



24















PRODUCT CODE: T-3MDH06 (6" spout) T-3MDH12 (12" spout)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:


- · Stainless steel construction
- Dual hob tap body includes inlet hoses
- Available with a 6" or 12" spout -3 star 8LPM
- 24 month warranty



Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C
















T-3MEW06 (6" spout) **T-3MEW12** (12" spout)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:


- Stainless steel construction
- Exposed wall mount tap body including spreaders and 1/2 turn rising spindles
- Available with a 6" or 12" spout -3 star 8LPM
- 24 month warranty






Working pressure range 150 – 1000kPa Maximum hot water temperature - 80°C

Front



Side











T-3MCW06 (6" spout) T-3MCW12 (12" spout)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel spout and wall elbow
- Wall elbow and 1/4 turn ceramic disc wall stops to suit concealed breech (breech not supplied)
- Available with a 6" or 12" spout -3 star 8LPM
- 24 month warranty




Top




Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C

Front




Side









T-3MWE06 (6" spout) **T-3MWE12** (12" spout)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Wall elbow with 1/2" FI inlet
- Available with a 6" or 12" spout -3 star 8LPM
- 24 month warranty






Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Front



Side











T-3MHS06 (6" spout) **T-3MHS12** (12" spout)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel spout and hob mount
- Concealed hob set 1/4 turn ceramic disc basin top assemblies (breech not supplied)
- Available with a 6" or 12" spout -3 star 8LPM
- 24 month warranty






Top




Working pressure range 150 – 1000kPa

Maximum hot water temperature – 80°C

Front



Side









T-3MH006 (6" spout) **T-3MH012** (12" spout,

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:


- Stainless steel construction
- Hob mount (no stops) with 1/2" FI inlet
- Available with a 6" or 12" spout -3 star 8LPM
- 24 month warranty






Working pressure range 150 – 1000kPa Maximum hot water temperature – 80°C

Front



Side











T-3MB4MIX / T-3MB6MIX



PRODUCT CODE:

T-3MB4MIX (4 star)
T-3MB6MIX (6 star)
T-3MS4MIX (4 star)
T-3MS6MIX (6 star)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Standard solid handle
- Includes flexi hoses 1/2" FI BSP
- Recommended working pressure 500kPa
- Maximum operating temperature 80°
- Available in WELS 4 Star 7.5LPM or WELS 6 Star 4.5LPM

In stock and available for immediate delivery

GUARDIAN' TAPWARE







T-3MS4MIX / T-3MS6MIX







T-3MLB4MIX / T-3MLB6MIX



PRODUCT CODE:

T-3MLB4MIX (4 star)
T-3MLB6MIX (6 star)
T-3MLS4MIX (4 star)
T-3MLS6MIX (6 star)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Lever handle for hands free operation
- Includes flexi hoses 1/2" FI BSP
- Recommended working pressure 500kPa
- Maximum operating temperature 80°
- Available in WELS 4 Star 7.5LPM or WELS 6 Star 4.5LPM

In stock and available for immediate delivery

GUARDIAN™ TAPWARE







T-3MLS4MIX / T-3MLS6MIX







PRODUCT CODE:
T-GFHST-M (mains powered)
T-GFHST-M-TV (inc. tempering valve)

T-GS-M (transformer only)
T-GFHST-B (battery powered)


T-GFHST-B-TV (inc. tempering valve)
T-GS-B (battery pack only)


The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:


- Operating pressure 30kPa 500kPa
- Maximum water temperature 80°C
- Sensor range nominal: 102mm - 127mm
- Hygienic rinse time, adjustable from 0.5 - 20 minutes
- Mains powered or Battery powered -6V Lithium CR-P2
- WELS 6 Star 4.5L/Min

In stock and available for immediate delivery















T-GFWST-M (mains powered - includes in wall installation kit)


T-GFWST-B (battery powered - includes in wall installation kit)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- 170mm long chrome plated fixed spout
- Operating pressure 30kPa 500kPa
- Maximum water temperature 80°C
- Sensor range: 50mm 100mm
- Hygienic rinse time, adjustable from 0.5 - 20 minutes
- Mains powered or battery powered -6V Lithium CR-P2
- WELS 6 Star 4.5L/Min

In stock and available for immediate delivery









PBPT



PRODUCT CODE:

PBPT (push button pillar tap)
PBBT (push button bib tap)
PBB (push button bubbler)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- PBPT 1/2" MI BSP inlet
- PBBT 1/2" MI BSP inlet
- PBB 1/2" MI BSP inlet
- PBPT and PBBT WELS 6 Star 4.5LPM
- PBPT and PBBT 6 second timed flow
- 500 kPa maximum working pressure

In stock and available for immediate delivery

PBBT



PBB







LPT



PRODUCT CODE:

LPT (lever handle pillar tap) **LBT** (lever handle bib tap)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- LPT 1/2" MI BSP Inlet
- LBT 1/2" MI BSP Inlet
- WELS 6 Star 4.5LPM
- 6 second timed flow
- 500 kPa maximum working pressure

In stock and available for immediate delivery

LBT







T-3MBUB-45C



PRODUCT CODE:

T-3MBUB-45C (cam action)

T-3MBUB-45P (push button)

T-3MBUB-45L (lever handle)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- 45 degree angle
- Metal mouthguard
- 1/2" FI BSP
- WELS 6 star 4.5LPM


In stock and available for immediate delivery

T-3MBUB-45P



T-3MBUB-45L









T-3MBUB-90C



PRODUCT CODE:

T-3MBUB-90C (cam action)

T-3MBUB-90P (push button)

T-3MBUB-90L (lever handle)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.

FEATURES & BENEFITS:

- Horizontal
- Rubber mouthguard
- 1/2" FI BSP
- WELS 6 star 4.5LPM

In stock and available for immediate delivery

T-3MBUB-90P



T-3MBUB-90L







T-3MPKH (hob mount)



DDODLICT CODE


T-3MPKW (wall mount)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:


- T-3MPKH 1/2" MI BSP
- T-3MPKW 1/2" FI BSP
- 65 degree max operating temperature
- 500 kPa maximum working pressure
- Watermark approved
- WELS 0 star

T-3MPKH



T-3MPKW











T-TWHWR1215SG (reel & trigger valve)

T-TWHWR1215 (reel only)


T-TWSGV65SVL (trigger valve only)


The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:

- 12.5mm diameter hose
- 12m length
- 1/2" FI BSP inlet
- 1/2" MI BSP outlet on reel
- Spray gun has swivel connection
- 550 kPa maximum working pressure
- 85 degree maximum operating temperature

In stock and available for immediate delivery








T-TWSGV65SVL









T-3MCSTS (complete set)

T-3MCSS (spout only)


T-3MCSWS (wall stops only)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:

- Anti-vandal cross handle wall stops
- WELS 3 star 9LPM

T-3MCSS



T-3MCSWS









PRODUCT CODE: **T-3MTWIN-B** (basin twinner)




PRODUCT CODE: **T-3MTWIN-S** (sink twinner)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-Rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar, Bib Taps and more.


FEATURES & BENEFITS:

- Lever handles 1/4 turn ceramic disc
- Includes flexi hoses 1/2" FI BSP
- WELS 6 Star 4.5LPM
- 80 degree max operating temperature
- 700 kPa maximum working pressure

T-3MTWIN-B



T-3MTWIN-S































FEATURE PRODUCT

HAND FABRICATED BOWLS

"HF serins

- Highly effective sound deadening rubber mounted externally on base
- Raw edge ready for welding, radius corners and cross breaks to a centre outlet
- One-piece construction in 1.2mm stainless steel
 - for greater strength
 - 50mm**, 90mm & 127mm outlet available on request (the 127mm outlet suits the SSBW-1 Scraptrap*)
 - 1.5mm 316 grade also available
- 🕓 Radial polish for premium satin finish
- Custom made options also available



Check catalogue for outlet combinations with other bowl sizes.

Check catalogue for availability on bowls sizes.

^{*}Negistered Trademark Smookees Pty Ltd





REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
2.01	1.2mm Hand Fabricated Bowls	2.13	Compact 11L Hand Basin
2.02	1.5mm Hand Fabricated Bowls	2.14	Round Disabled Compliant Hand Basin
2.03	1.5mm Laboratory Bowls	2.15	Square Disabled Compliant Hand Basin
2.04	Pressed Sink Bowls	2.16	Inset Hand Basin
2.05	Round Pressed Sink Bowls	2.17	Hands Free Knee Operated Basin
2.06	Inset Sink	2.18	Hands Free Knee Operated Basin - Timed Flow
2.07	Wall Mounted Hand Basin	2.19	Round Hands Free Knee Operated Basin - Timed Flow
2.08	Wall Mounted Hand Basin with Splashback	2.20	Knee Operated Basin Spare Parts
2.09	Round Hand Basin	2.21	Inset Bar Sink
2.10	Round Hand Basin with 300mm Shroud	2.22	Cleaners Sink with Brackets
2.11	Corner Hand Basin	2.23	Cleaners Sink with Legs
2.12	Compact Hand Basin		



Hand fabricated bowls featuring a raw edge ready for welding.

FEATURES & BENEFITS:


- Standard outlet sizes as per chart
- Directional satin polish
- 127mm outlet available on request.
 This outlet suits the SSBW-1 Scraptrap
- Centre outlet
- Raw edge ready for welding
- Cross breaks to the outlet
- Sound deadening material on bottom
- One piece construction

In stock and available for immediate delivery


Custom sizes available on request

- lead times apply


Тор



Front



Cross Section



PRODUCT CODE	W (mm)	D (mm)	H (mm)	OUTLET	CAPACITY
HF10	300	250	200	50	13.3L
HF12	300	300	200	50	16.5L
HF13	350	300	300	90	27.5L
HF14	400	350	300	90	37.5L
HF15	400	400	300	90	43.3L
HF15	450	300	300	90	36L
HF453520	450	350	200	90	31.51.
HF16	350	450	300	90	42.5L
HF20	450	400	300	90	49L
HF17	450	450	300	90	55.5L
HF18	530	380	300	90	55.3L
HF21	550	450	300	90	68.5L
HF505040	500	500	400	90	100L
HF19	600	450	300	90	75L
HF22	800	500	300	90	113L





Hand fabricated bowls featuring a raw edge ready for welding.

FEATURES & BENEFITS:


- Standard outlet sizes as per chart
- Directional satin polish
- 127mm outlet available on request.
 This outlet suits the SSBW-1 Scraptrap
- · Centre outlet
- Raw edge ready for welding
- Cross breaks to the outlet
- Sound deadening material on bottom
- One piece construction

In stock and available for immediate delivery

Custom sizes available on request


- lead times apply

Top



Front

Cross Section



1.5mm 316 Grade Stainless Steel

PRODUCT CODE	W (mm)	D (mm)	H (mm)	OUTLET	CAPACITY
HF14-316	400	350	300	50	37.5L
HF11-316	400	400	300	50	43.3L
HF20-316	450	400	300	50	49L
HF17-316	450	450	300	50	55.5L
HF19-316	600	450	300	50	751.





Laboratory bowls are typically used in schools, laboratories and other educational facilities. These bowls include a flange and fixing clips, and are designed to be bench mounted


FEATURES & BENEFITS:

- Constructed from 1.5mm acid resistant 316 grade stainless steel
- Satin finish
- Suits 50mm plug and waste
- 90mm or 127mm outlet available on request. These outlets suit the Scraptrap range
- Centre outlet
- 35mm flange
- Includes fixing clips and cut out template
- Cross breaks to the outlet

In stock and available for immediate delivery

Custom sizes available on request - lead times apply


Тор



Front



Side



PRODUCT CODE	W (mm)	D (mm)	H (mm)	OUTLET	CAPACITY
LS-303025	300	300	250	50	22.5L
LS-403025	400	300	250	50	30L
LS-453525	450	350	250	50	39.4L






These pressed sink bowls are constructed from 304 grade stainless steel and are suitable for top mount and under mount applications, and feature a satin polish finish.

FEATURES & BENEFITS:


- Constructed from 1mm 304 grade stainless steel
- 20mm flange
- Centre outlet
- Satin polish finish

In stock and available for immediate delivery


Тор



Front



Cross Section



PRODUCT CODE	W (mm)	D (mm)	H (mm)	OUTLET	CAPACITY
PB01	140	245	100	40	3L
PB02	290	250	165	50	10.4L
PB06	330	330	210	50	20.4L
PB08	350	250	170	50	13.1L
PB14	400	340	200	50	24.6L
PB20	450	380	200	50	31.4L
PB23	520	370	210	50	37L






These round pressed sink bowls are constructed from 304 grade stainless steel and are suitable for top mount and under mount applications. They also feature a mirror polish finish.

FEATURES & BENEFITS:

- Constructed from 1mm 304 grade stainless steel
- 20mm flange
- 50mm centre waste
- Mirror polish finish

In stock and available for immediate delivery


Top



Front



Cross Section



PRODUCT CODE	OD	ID	н	OUTLET	CAPACITY
RB300	340	300	165	50	8.31.
RB385	425	385	165	50	10.3L
RB445	485	445	165	50	15L








RBF385

This 3monkeez® inset sink is ideal for both domestic and commercial use.


FEATURES AND BENEFITS:

- 19 litre capacity
- Constructed from 0.9mm 304 grade stainless steel
- 25mm polished flange
- 90mm centre outlet
- Can be inset in any bench top
- Mirror polish finish


In stock and available for immediate delivery



Front



Side







HΒ

HBB (Hand basin wall brackets)
Brackets sold separately

This robust and economical wall mounted hand basin is extremely versatile, ideal for use in schools, public amenities, sporting clubs and factory units. It is mounted on heavy duty wall brackets and is available in 1, 2 and 3 tap hole configurations.

FEATURES & BENEFITS:


- 11.5 litre capacity
- Constructed from 1mm 304 grade stainless steel
- · Radius fascia for safety
- Wall mounted
- 50mm splashback
- 40mm outlet Suits PW40
- Mirror polish finish
- Available in 1, 2 and 3 tap hole configurations

In stock and available for immediate delivery




Use SAFETEE-STRIP for no sharp edges


Top



Front



Side







HB300SB

This robust and economical wall mounted hand basin can save you time and money. The unique design includes a 300mm splashback that removes the need to tile. It is ideal for use in a wide range of applications including schools, public amenities, sporting clubs and factory units.

FEATURES & BENEFITS:


- 11.5 litre capacity
- Constructed from 1mm 304 grade stainless steel
- 300mm splashback
- 40mm outlet Suits PW40
- Comes complete with wall brackets
- Mirror polish finish
- Available in 1, 2 and 3 tap hole configurations

In stock and available for immediate delivery





Use SAFETEE-STRIP for no sharp edges

Top



Front









HBR

This wall mounted round hand basin features a mirror polish finish and is easily installed in a variety of applications.

Comes complete with wall brackets.

FEATURES & BENEFITS:


- 6.3 litre capacity
- Constructed from 1mm 304 grade stainless steel
- 300mm bowl diameter
- 50mm splashback
- 40mm outlet Suits PW40
- Comes complete with wall brackets
- Left or right tap holes on request

In stock and available for immediate delivery


Use : for n

Use SAFETEE-STRIP for no sharp edges


Top



Front



Cross Section







HBRS

This wall mounted round hand basin features a mirror polish finish and is easily installed in a variety of applications.


Comes complete with wall brackets.

FEATURES & BENEFITS:


- 6.3 litre capacity
- Constructed from 1mm 304 grade stainless steel
- 300mm shroud
- 300mm bowl diameter
- 40mm outlet Suits PW40
- Integrated wall bracket
- Left or right tap holes on request

In stock and available for immediate delivery


Тор



Front



Side








HBCR

This wall mounted corner round hand basin features a mirror polish finish and is easily installed. It comes complete with wall brackets and a unique space saving design.


FEATURES & BENEFITS:

- 6.3 litre capacity
- Constructed from 1mm 304 grade stainless steel
- 300mm bowl diameter
- 50mm splashback
- 40mm outlet Suits PW40
- Comes complete with wall brackets
- Left, right or centre tap hole on request


In stock and available for immediate delivery



Front



Cross Section






Use SAFETEE-STRIP for no sharp edges









HBC


This wall mounted basin has a slimline space saving design and features a mirror polish finish. Comes complete with wall brackets.

FEATURES & BENEFITS:


- 3.1 litre capacity
- Constructed from 1mm 304 grade stainless steel
- Radius fascia for safety
- 40mm splashback
- 40mm outlet Suits PW40
- Comes complete with wall brackets
- Left or right tap hole on request

In stock and available for immediate delivery

Front



Cross Section





Use SAFETEE-STRIP for no sharp edges





HB11C


The 3monkeez® compact 11 litre hand basin is the perfect solution for when space saving is a priority, whilst meeting the standard for handwash basins.

FEATURES & BENEFITS:


- 304 grade stainless steel
- Space saving design
- 11L capacity
- 30mm splashback
- · Mirror polish finish
- Full stainless steel brackets
- Complete with 40mm plug and waste
- Left or right tap hole on request

In stock and available for immediate delivery


Top



Front



Side





Use SAFETEE-STRIP for no sharp edges








HBD-R


This wall mounted round disabled hand basin features a satin finish and conforms to AS1428 - Design For Access and Mobility. It is ideal for installation in public amenities, schools, nightclubs and more.


FEATURES & BENEFITS:

- AS1428 compliant
- · 9 litre capacity
- Constructed from 1.2mm 304 grade stainless steel
- Satin finish
- 40mm outlet
- Access panel with vandal resistant screws
- Concealed plumbing and trap
- Suits P trap installation
- Left or right tap holes on request

In stock and available for immediate delivery













HBD-S

This wall mounted square disabled hand basin features a satin finish and conforms to AS1428 - Design For Access and Mobility. It is ideal for installation in public amenities, schools, nightclubs and more.


FEATURES & BENEFITS:

- AS1428 compliant
- 3.5 litre capacity
- Constructed from 1.2mm 304 grade stainless steel
- 300mm diameter bowl
- Satin finish
- 50mm splashback
- 40mm outlet
- Vandal resistant screws
- Concealed plumbing and trap
- Suits P trap installation
- Left or right tap holes on request


In stock and available for immediate delivery




Top



Front



Side











HBF01


This inset hand basin features a mirror polish finish and comes complete with fixing clips and seal for bench mounting.

FEATURES & BENEFITS:


- 11.5 litre capacity
- Constructed from 1mm 304 grade stainless steel
- Mirror polish finish
- 40mm outlet Suits PW40
- Comes complete with fixing clips and seal
- Available in 1, 2 and 3 tap hole configurations on request

In stock and available for immediate delivery


Тор



Front



Cross Section







AB-KNEEHBT-1 (with tempering valve)

AB-KNEEHBTMV-1

(with thermostatic mixing valve) **AB-KNEEHB-1**(without tempering valve or thermostatic mixing valve)


This knee operated basin provides a hygienic solution to hand washing in commercial kitchens, hospitals and food processing areas. All models feature WELS approved plumbing hardware. The one piece wall bracket system makes them easy to install.


FEATURES & BENEFITS:


- 11.5L capacity
- Shroud Constructed from 1.2mm 304 grade stainless steel
- Basin Constructed from 1mm 304 grade stainless steel
- 50mm splashback
- 40mm outlet Suits PW40
- 500kPa Maximum Working Pressure

In stock and available for immediate delivery


Top







Side



Suggested mounting height from floor level for standard use - 850mm-900mm





AB-KNEEHBT-TF (with tempering valve)

AB-KNEEHBTMV-TF (with thermostatic mixing valve)

AB-KNEEHB-TF (without tempering valve or thermostatic mixing <u>valve</u>)


This knee operated basin provides a hygienic solution to hand washing in commercial kitchens, hospitals and food processing areas. All models feature WELS approved plumbing hardware. The one piece wall bracket system makes them easy to install.

FEATURES & BENEFITS:


- 11.5L capacity
- Shroud Constructed from 1.2mm 304 grade stainless steel
- Basin Constructed from 1mm 304 grade stainless steel
- 15 second timed flow
- 50mm splashback
- 40mm outlet Suits PW40
- 500kPa Maximum Working Pressure

In stock and available for immediate delivery


Top




Front







Side



Suggested mounting height from floor level for standard use

- 850mm-900mm





PRODUCT CODE: **AB-KNEEHB-RT**(with tempering valve)

AB-KNEEHB-RTMV (with thermostatic mixing valve)


AB-KNEEHB-R (without tempering valve or thermostatic mixing valve)

This knee operated basin provides a hygienic solution to hand washing in commercial kitchens, hospitals and food processing areas. All models feature WELS approved plumbing hardware. The one piece wall bracket system makes them easy to install.


FEATURES & BENEFITS:


- 6.3L capacity
- Shroud Constructed from 1.2mm 304 grade stainless steel
- Basin Constructed from 1mm 304 grade stainless steel
- 15 second timed flow
- 50mm splashback
- 40mm outlet Suits PW40
- 500kPa Maximum Working Pressure


In stock and available for immediate delivery



Front







Suggested mounting height from floor level for standard use - 850mm-900mm





P-300EH

- 300mm long with elbow
- 1/2" FI BSP loose nut and tail

P-450EH

- 450mm long with elbow
- 1/2" FI BSP loose nut and tail

P-GCP BRACKET

Stand off bracket

P-GCP 25MM CIP

• 25mm copper clip head

P-GCP 32MM CLIP

• 32mm copper clip head

P-15BHN

• 1/2" MI BSP

P-GCP 15MM TEMP

• 1/2" MI BSP tempering valve

P-WM-TMV1 STD

• 1/2" MI BSP thermostatic mixing valve

P-FOOT VALVE

• 1/2" FI BSP

P-31685

- 1/2" MI BSP
- 15 second timed flow

P-SPOUT

- 1/2" MI BSP
- WELS 4 star 7.5LPM

P-300EH



P-450EH



P-GCP 25mm Clip



P-GCP Bracket



P-15BHN



P-GCP 32mm Clip



P-WM-TMV1 STD



P-GCP 15MM TEMP



P-31685



P-FOOT VALVE



P-SPOUT







HBF


This versatile sink can be fitted into most bench tops and comes complete with fixing clips and seal.

FEATURES & BENEFITS:


- 11.1 litre capacity
- Constructed from 0.9mm 304 grade stainless steel
- 50mm centre outlet Suits PW50
- Mirror polish
- Comes complete with fixing clips and seal
- Tap holes on request Left or Right

In stock and available for immediate delivery


Тор



Front



Side









AB-CS-B

CS-H/CSG (cleaners sink only)
CSB (wall brackets only)

The 3monkeez® cleaners sink consists of a large capacity tub with a hinged grate positioned over the sink. It is available with stainless steel wall brackets and is designed for commercial use.

FEATURES & BENEFITS:


- 31.2L Capacity
- Constructed from 1mm 304 grade stainless steel
- Mirror polish finish
- 50mm splashback
- 90mm outlet Suits basket waste or 90mm Scraptrap
- Comes complete with hinged grate
- Available with stainless steel wall brackets

In stock and available for immediate delivery




Use SAFETEE-STRIP for no sharp edges


Top



Front



Cross Section





AB-CS-L

CS-H/CSG (cleaners sink only) **CSL** (legs & adjustable feet only)

The 3monkeez® cleaners sink consists of a large capacity tub with a hinged grate positioned over the sink. It is available with stainless steel legs and adjustable feet and is designed for commercial use.

FEATURES & BENEFITS:


- 31.2L Capacity
- Constructed from 1mm 304 grade stainless steel
- Mirror polish finish
- 50mm splashback
- 90mm outlet Suits basket waste or 90mm Scraptrap
- Comes complete with hinged grate
- Available with stainless steel legs with adjustable feet

In stock and available for immediate delivery




Use SAFETEE-STRIP for no sharp edges


Top




Front

Back





Cross Section

































Innovate - Create - Deliver

FEATURE PRODUCT



STAINLESS STEEL DRAWER

- also available to suit a 1/1 gastronorm par
- Ideal for commercial kitchens, outdoor BBQ areas, hospitals and food preparation areas
- Drawer stacks also available in 2, 3 and 4 modules
- Easy to install with pre-drilled fixing holes for under bench mounting
- Made tough to last:
 - Made from 1.2mm 304 grade stainless steel
 - · Heavy duty drawer slides
- Lockable Drawers with keyed alike option
 - Drawers available with or without lock
 - "Keyed alike" capability



^{*}Registered Trademark 3monkeez Pty Ltd





REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
3.01	Adjustable Glass Rack Kit	3.10	Stainless Steel Adjustable Feet
3.02	Adjustable Glass Rack Accessories	3.11	Nylon Leg Insert
3.03	Adjustable Dishwasher Rack Kit	3.12	Nylon Adjustable Feet
3.04	Adjustable Dishwasher Rack Accessories	3.13	Adjustable Feet
3.05	Stainless Steel Drawer	3.14	Plastic Tube Closures
3.06	Stainless Steel Gastronorm Drawer	3.15	Drawer Handles & Pulls
3.07	Freestanding Drawer Unit	3.16	Stainless Steel Adjustable Leg & Mounting Plate
3.08	Weld In Insulated Ice Well - 300mm x 300mm	3.17	Stainless Steel Hinges
3.09	Weld In Insulated Ice Well - 350mm x 400mm	3.18	Utility Lock



Photo shows BRK-C with BRK-1

BRK-C (complete bay)
BRK-1 (add on bay)

An economical and easy to install pre-fabricated storage solution. Easily expandable and adjustable, it comes flat packed for easy transportation.

FEATURES & BENEFITS:

- 4 pairs of adjustable stainless steel tray slides to accommodate 4 tiers or 3 tiers and a drip tray (optional)
- Notched channel welded to frame
- Stainless steel fixings with flat bar supports
- Flat packed complete with leg inserts, disc feet and rivets
- Constructed from 25mm 304 grade stainless steel square tubes
- Can be used as a bench support
- 304 grade stainless steel


In stock and available for immediate delivery

Top



Front

Side



BRK-C





BRK-1







BRK-DT (S/S drip tray)

BRK-NC1

(25mm S/S notched channel

AB-BRK-TS

(pair S/S tray slides - 413mm)

BRK-TS1

(S/S tray slide - 1000mm)

All parts and accessories for 3monkeez® adjustable glass racks are readily available to further customise your storage solutions.

FEATURES & BENEFITS:


• 304 grade stainless steel

In stock and available for immediate delivery





BRK-NC1



AB-BRK-TS



BRK-TS1







Photo shows BRK-DW-C with BRK-DW-1

BRK-DW-C (complete bay)
BRK-DW-1 (add on bay)

An economical and easy to install pre-fabricated storage solution. Easily expandable and adjustable, it comes flat packed for easy transportation.

FEATURES & BENEFITS:


- 4 pairs of adjustable stainless steel tray slides to accommodate 4 tiers or 3 tiers and a drip tray (optional)
- Notched channel welded to frame
- Stainless steel fixings with flat bar supports
- Flat packed complete with leg inserts, disc feet and rivets
- Constructed from 25mm 304 grade stainless steel square tubes
- Can be used as a bench support
- 304 grade stainless steel

In stock and available for immediate delivery

Top



Front



Side



BRK-DW-C



BRK-DW-1







BRK-DW-DT (S/S drip tray)

BRK-TS-DW-L

(left S/S tray slide - 510mm)

BRK-TS-DW-R

(right S/S tray slide - 510mm)


All parts and accessories for 3monkeez® adjustable glass racks are readily available to further customise your storage solutions.

FEATURES & BENEFITS:


• 304 grade stainless steel

In stock and available for immediate delivery

BRK-DW-DT



BRK-TS-DW-L / BRK-TS-DW-R







PRODUCT CODE: SS DRAWER SS DRAWER-L


This stainless steel drawer has been designed for use in commercial kitchens, outdoor BBQ areas, hospitals and food preparation areas. They can be under bench mounted or manufactured into freestanding cabinets.

FEATURES & BENEFITS:


- Constructed from 1.2mm 304 grade stainless steel
- · Heavy duty drawer slides
- Drawers are available with or without a lock
- Pre-drilled fixing holes for under bench mounting
- · Optional keyed alike lock

In stock and available for immediate delivery


Top



Front



Cross Section







SS DRAWER-1G (suits removable pans)


This stainless steel drawer has been designed for use in commercial kitchens and food preparation areas. It features double action drawer slides and suits a full size removable 1/1 gastronorm pan.

FEATURES & BENEFITS:


- Constructed from 1.2mm 304 grade stainless steel
- Heavy duty drawer slide that extends past open to allow pans to be removed with ease
- Pre-drilled fixing holes for under bench mounting
- Under bench mounted
- Lockable
- Specifically designed to allow easy access to pans

In stock and available for immediate delivery

Top



Front



Cross Section









AB-2DRAW

(2 drawer unit)

AB-2DRAW-L

(2 drawer lockable unit)

AB-3DRAW

(3 drawer unit)

AB-3DRAW-L

(3 drawer lockable unit)

AB-4DRAW

(4 drawer unit)

AB-4DRAW-L

(4 drawer lockable unit)

The freestanding drawer units are available as 2, 3 or 4 drawer units. They feature adjustable feet and the drawers are available with or without locks.

FEATURES & BENEFITS:

- Constructed from 304 grade stainless steel
- Heavy duty drawer slides
- Adjustable disc feet
- · Available with or without locks

Top



Front



Side



3monkeez STAINLESS STEEL EVOLUTIONS

Innovate · Create · Deliver



PRODUCT CODE ICE-303020


This 3monkeez® pre-fabricated ice well is supplied as a complete unit, ready to weld in.


FEATURES & BENEFITS:

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a flange for fixing
- Radius corners and cross breaks to a 25mm centre waste
- Raw edge ready for welding
- 25mm urethane injected insulation


In stock and available for immediate delivery

Custom sizes can be manufactured to your requirements





Cross Section









PRODUCT CODE: ICE-403530

This 3monkeez® pre-fabricated ice well is supplied as a complete unit, ready to weld in.


FEATURES & BENEFITS:

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a flange for fixing
- Radius corners and cross breaks to a 25mm centre waste
- Raw edge ready for welding
- 25mm urethane injected insulation

In stock and available for immediate delivery

Custom sizes can be manufactured to your requirements






Side




Cross Section









FH-10

FH-11

FH-12

FH-13



PRODUCT CODE:


FH-14



DDODLICT CODE


FH-15 FH-16

304 Grade Stainless Steel Adjustable Disc Foot




PRODUCT CODE	А	В	С	D	E	F	G	# OF HOLES
FH-10	16	41	105	4	7	65	50	2
FH-11	16	41	105	4	5	50	39	2
FH-12	16	41	70	4	5	50	39	2
FH-13	16	41	70	4	7	65	50	2

304 Grade Stainless Steel Adjustable Pin Foot



PRODUCT CODE	А	В	С	D	E
FH-14	16	55	110	20	6

304 Grade Stainless Steel Adjustable Lug Foot



PRODUCT CODE	А	В	С	D	Е	F	G	# OF HOLES
FH-15	16	41	70	4.5	9	52	25	1
FH-16	16	41	105	4.5	9	52	25	1

All measurements in mm.





PRODUCT CODE:

FH-17

FH-18



PRODUCT CODE


FH-19



PRODUCT CODE:


FH-20

Nylon Leg Insert - Square Tube




PRODUCT CODE	А	В	С	THREAD
FH-17	25	55	62	M16
FH-18	32	55	62	M16

Nylon Leg Insert - Square Tube



PRODUCT CODE	A	В	С	THREAD
FH-19	38	50	60	M16

Nylon Leg Insert - Round Tube



PRODUCT CODE	Α	В	С	THREAD
FH-20	38	50	60	M16

To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.





FH-21

FH-22

FH-23




PRODUCT CODE

FH-24


FH-25

Nylon Adjustable Foot - Square Tube



PRODUCT CODE	А	В	С	D	ADJ. HEIGHT
FH-21	25	33	40	14	20
FH-22	32	45	52	20	20
FH-23	38	45	52	25	20

Nylon Adjustable Foot - Round Tube



PRODUCT CODE	А	В	С	D	ADJ. HEIGHT
FH-24	38	45	52	25	20
FH-25	50	55	65	26	30

To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.





PRODUCT CODE: FH-27 FH-28



PRODUCT CODE

FH-29

FH-30




PRODUCT CODE

FH-31

FH-32

Zinc Die-Cast Chrome Plated Adjustable Hex Foot -

Square Tube



PRODUCT CODE	A	В	С	D	ADJ. HEIGHT
FH-26	25	32	37	10	25
FH-27	32	43	50	23	33
FH-28	38	43	50	23	33


Zinc Die-Cast Chrome Plated Adjustable Flanged Foot -

Square Tube

PRODUCT CODE	А	В	С	D	E	ADJ. HEIGHT
FH-29	25	32	37	10	30	25
FH-30	32	43	50	23	50	33

C.

304 Grade Stainless Steel Clad Adjustable Hex Foot -Round Tube



PRODUCT CODE	Α	В	С	D	ADJ. HEIGHT
FH-31	38 *	43	51	24	33
FH-32	50 *	46	56	28	35

* This represents tube size
To fit tube of 1.2mm or 1.6mm
wall thickness.

All measurements in mm.





FH-33

FH-34


FH-35

FH-36

FH-37



Plastic Tube Closure - Square Tube



PRODUCT CODE	А	В	С
FH-33	19	13	16.5
FH-34	25	13	16.5
FH-35	32	13	16.5
FH-36	38	13	16.5
FH-37	50	13	16.5


FH-38

FH-39

FH-40

FH-37R


Plastic Tube Closure - Round Tube





PRODUCT CODE	А	В	С
FH-38	25	13	16.5
FH-39	32	13	16.5
FH-40	38	13	16.5
FH-37R	50	13	16.5

To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.












Beveled Edge With Grip and Fixing Studs




Beveled Edge With Fixing Studs



With Grip Flush Mount Type (Weld In)



120mm Diameter With Grip and Fixing Studs



All products are made from 0.6mm Stainless Steel. No. 4 Brush Finish.





FH-46-S/S

(O/A Height 124mm - 153mm

FH-46-Z/P

(O/A Height 124mm - 153mm)

FH-47-S/S

(O/A Height 150mm - 177mm)

FH-47-Z/P

(O/A Height 150mm - 177mm)

FH-48-S/S

(O/A Height 198mm - 227mm)

FH-48-Z/P

(O/A Height 198mm - 227mm)

FH-49-S/S

(O/A Height 249mm - 277mm)

FH-49-Z/P

(O/A Height 249mm - 277mm)




PRODUCT CODE:

FH-50 (Stainless Steel)


FH-51 (Zinc Plated)

Adjustable Leg - Round Tube



PRODUCT CODE	А	В	С	D	MOUNTING PLATE
FH-46-S/S	88	85	36	50	FH-50
FH-46-Z/P	88	85	36	50	FH-51
FH-47-S/S	88	110	36	50	FH-50
FH-47-Z/P	88	110	36	50	FH-51
FH-48-S/S	88	160	36	50	FH-50
FH-48-Z/P	88	160	36	50	FH-51
FH-49-S/S	88	210	36	50	FH-50
FH-49-Z/P	88	210	36	50	FH-51

Mounting Plate



PRODUCT CODE	A	В	THICKNESS	HOLE	# OF HOLES
FH-50	88	88	3	9	4
FH-51	88	88	3	9	4

S/S = Stainless Steel
Z/P = Zinc Plated
All measurements in mm.





FH-55

FH-56-LH FH-57-RH



FH-58-LH H-59-RH FH-60-LH FH-61-RH



FH-62 FH-63 FH-64 FH-65 FH-66 FH-67


FH-68 FH-69

304 Grade Stainless Steel Flag Hinge




PRODUCT CODE	Α	В	THICKNESS	PIN
FH-55	28	52	2	4.8
FH-56-LH	50	75	2	4.8
FH-57-RH	50	75	2	4.8

304 Grade Stainless Steel Lift Off Hinge



PRODUCT CODE	A	В	THICKNESS	PIN	
FH-58-LH	44	50	2	4	
FH-59-RH	44	50	2	4	
FH-60-LH	50	76	2	4	
FH-61-RH	50	76	2	4	

304 Grade Stainless Steel Continuous Hinge



PRODUCT CODE	А	В	THICKNESS	PIN
FH-62	27	1800	0.9	3
FH-63	32	1800	1.2	3
FH-64	38	1800	1.2	3
FH-65	50	1800	1.2	3
FH-66	57	1800	1.5	4.5
FH-67	63	1800	1.5	4.5
FH-68	76	2160	1.5	4.5
FH-69	127	2000	1.5	4.5

All measurements in mm.










Polished Chrome Utility Lock



PRODUCT CODE	A (mm)	B (mm)
FH-71	22	22
FH-72	22	28
FH-73	22	35


STAINLESS STEEL EVOLUTIONS
Innovate · Create · Deliver

Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.

FH-72



SEE OVER FOR FLYLI RANGE









Proctical Authorities Transpo with 300mm Hole




FEATURE PRODUCT



- designed for use with hob mount taps or 45 degree bubblers
- Ideal for situations when the plumbing cannot be concealed in a wall
- Complete with wall brackets manufactured from 40mm x 6mm stainless flat bar with pre-drilled fixing holes
- Constructed from 1.2mm 304 grade stainless steel
- Wide range of flexible configurations:
 - Outlet position and length as required, off the shelf items have centre outlet as standard
 - Available pre-plumbed
 - Tap holes as required
 - Splashback height can be modified on request
 - Available with optional lockable lid
 - 1200mm, 1500mm, 1800mm and 2400mm available off the shelf with radius top corners (pictured)



^{*}Negatiered Trademark 3monkeer Pty Ltd






REFERENCE NUMBER	ITEM
4.01	Pattern Trough 1
4.02	Pattern Trough 2
4.03	Pattern Trough 3
4.04	Pattern Trough 4
4.05	Flushline Trough

REFERENCE NUMBER	ITEM
4.06	Art Trough
4.07	Walls End Pattern Trough
4.08	Practical Activities Trough
4.09	Practical Activities Trough with 80mm Hob
4.10	Pattern Trough PWD



Тор



PRODUCT CODE:

M-PT-1

This pattern trough offers a flexible and economical solution for a broad range of washroom areas. It comes in a variety of lengths and the outlet position is set as required.


FEATURES & BENEFITS:

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- · Length as required
- Wall brackets manufactured from 32mm 1.2mm square tube with pre-drilled fixing holes
- Splashback height modified on request Custom made products incur a lead time

Front



Side









M-PT-2


With its extra width and splashback this pattern trough is suitable for high volume usage. It provides flexibility by being available in a variety of lengths and the outlet position is set as required.

FEATURES & BENEFITS:

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- · Length as required
- Wall brackets manufactured from 32mm 1.2mm square tube with pre-drilled fixing holes
- Splashback height modified on request

Custom made products incur a lead time






Front



Side







As Required As Required As Required As Required

PRODUCT CODE:

M-PT-3

This pattern trough has a modern rounded design and comes complete with wall brackets. It is ideal for use in a large range of washroom areas.


FEATURES & BENEFITS:

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- · Length as required
- Wall brackets manufactured from 32mm 1.2mm square tube with pre-drilled fixing holes
- Easy to clean design
- Splashback height modified on request Custom made products incur a lead time

Front



Side









As Required As Required As Required As Required

PRODUCT CODE

M-PT-4

With tap holes and outlets configured to custom requirements and a 100mm hob this pattern trough is ideal for industrial applications. It offers additional flexibility through being available in a variety of lengths, and the outlet position is set as required.

FEATURES & BENEFITS:


- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required
- Tap holes as required
- Wall brackets manufactured from 32mm 1.2mm square tube with pre-drilled fixing holes
- Splashback height modified on request
- Available pre-plumbed

Custom made products incur a lead time

Front



Side







Top As Required As Required As Required

PRODUCT CODE:


M-PT-5

Specifically designed to flush mount into most benches, this trough comes with fixing clips and studs, and is available in a variety of lengths. The outlet position is set as required.

FEATURES & BENEFITS:

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- · Length as required
- Complete with fixing clips and studs

Custom made products incur a lead time












M-PT-6

This extra wide trough has been specifically designed for use in art and craft facilities. It is available in a range of lengths and the outlet position is set as required.

FEATURES & BENEFITS:


- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- · Outlet as required
- · Length as required
- Splashback height modified on request
- Wall brackets manufactured from 32mm 1.2mm square tube with pre-drilled fixing holes

Custom made products incur a lead time













M-PT-7


The unique design of this trough makes it ideal for situations when plumbing cannot be concealed in a wall. This versatile design also allows for pillar taps or bubblers to be installed, making it perfect for use in schools.

FEATURES & BENEFITS:

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required
- Tap holes as required
- Available pre-plumbed
- · Splashback height modified on request
- Available with optional lockable lid
- Wall brackets manufactured from 40mm x 6mm stainless flat bar with pre-drilled fixing holes
- 1200mm, 1500mm, 1800mm and 2400mm available off the shelf in 304 grade stainless steel with radius top corners and centre outlet

Custom made products incur a lead time

Top



Corner - Off the shelf trough



Front



Side



Suggested mounting height for drinking trough:

Infant - 550mm
Primary - 700mm
Secondary - 900mm

Suggested mounting height for wash trough:

Infant - 550mm Primary - 650mm Secondary - 700mm








M-PT-8

The practical activities trough is ideal for use in schools and is designed for use with pillar or laboratory taps. It comes complete with fixing clips and studs and offers great flexibility. It is available in a broad range of lengths and the outlet position can be set as required.

FEATURES & BENEFITS:

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- · Outlet as required
- Length as required
- Tap holes as required
- Available pre-plumbed
- 1500mm available off the shelf
 Centre outlet


Custom made products incur a lead time



Front



Side







As Required O O Overflow Suit Bubbler As Required 80

PRODUCT CODE:

M-PT-9

The practical activities trough is ideal for use in schools and is designed for use with pillar or laboratory taps. It comes complete with fixing clips and studs and offers great flexibility. It is available in a broad range of lengths and the outlet position can be set as required.


FEATURES & BENEFITS:

- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required
- Available pre-plumbed
- Tap holes on request
- 80mm side hob for bubbler tap on left or right as required

Custom made products incur a lead time

Front

Top



Side









M-PWD


With tap holes configured to custom requirements and a 60mm boxed splashback, this pattern trough is ideal for many applications. It offers additional flexibility through being manufactured to your required length, and the outlet position is set as required.

FEATURES & BENEFITS:


- Constructed from 1.2mm 304 or 316 grade satin stainless steel
- Outlet as required
- Length as required
- Tap holes as required
- Radius to external only or external and internal corners
- Splashback height modified on request
- Available pre-plumbed

Custom made products incur a lead time







Side



External Radius Only




External and Internal Radius
































FEATURE PRODUCT

WASHROOM ACCESSORIES - SOAP DISPENSERS

- Appealing satin stainless steel finish
- Made tough to last
- 🍣 Large 1200ml capacity
- Concealed fixings
- Available in most popular & practical formats:
 - Horizontal orientation
 - Vertical orientation
 - Square format
 - · Recessed with lockable cover
 - Basin mount also available



ode: WA-SD-V

*Negistered Trademark 3monkeer Pty Ltd







REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
5.01	Soap Dispensers	5.11	Silver Door Signs - 150mm x 150mm
5.02	Paper Towel Dispensers	5.12	Silver Door Signs - 210mm x 180mm
5.03	Paper Towel Dispensers with Waste Receptacle	5.13	Robe Hooks
5.04	Toilet Roll Holders	5.14	Baby Bath
5.05	Toilet Roll Holders	5.15	Stainless Steel Mirror
5.06	Toilet Lock & Indicator Sets	5.16	Straight Grab Rails
5.07	Folding Shower Seat, Baby Change Stations and Disabled Compliant Mirror	5.17	Angled Grab Rails
5.08	Hand Dryer & Utility Shelves	5.18	Back Rests
5.09	Blue Door Signs - 150mm x 150mm	5.19	Back Rests with Integrated Grab Rail
5.10	Blue Door Signs - 210mm x 180mm		



WA-SD-V (vertical)

- Large 1200ml capacity
- Satin stainless steel finish & key lockable
- Concealed fixings
- 208mmH x 121mmW x 127mmD
- Typical mounting height 1260mm

WA-SD-H (horizontal)

- Large 1200ml capacity
- Satin stainless steel finish & key lockable
- Concealed fixings
- 208mmH x 121mmW x 127mmD
- Typical mounting height 1260mm

WA-SD-S (square)

- Large 1200ml capacity
- Satin stainless steel finish & key lockable
- Concealed fixings
- 158mmH x 178mmW x 67mmD
- Typical mounting height 1260mm

WA-SD-RH (recessed horizontal)

- Large 1200ml capacity
- Satin stainless steel finish & key lockable
- Concealed fixings
- 170mmH x 259mmW x 150mmD
- Typical mounting height 1260mm

WA-SD-B (basin mount)

- Large 1000ml capacity
- 100mmL chrome plated brass spout
- Heavy duty polyethylene soap container
- Cover diameter 51mm
- Maximum mounting thickness 93mm
- Container diameter 85mm
- Mounting hole diameter 30mm

WA-SD-V



WA-SD-H



WA-SD-S



WA-SD-RH



WA-SD-B



STAINLESS STEEL EVOLUTIONS
Innovate · Create · Deliver



WA-PTD

- 304 grade satin stainless steel
- Key lockable
- Concealed fixings
- 372mmH x 288mmW x 100mmD
- · Typical mounting height 1350mm

WA-PTD



WA-PTDS

- 304 grade satin stainless steel
- Key lockable
- Concealed fixings
- 204mmH x 282mmW x 104mmD
- Typical mounting height 1350mm

WA-PTDS



WA-PTDR

- 304 grade satin stainless steel
- Suits 80m-150m rolls
- Concealed fixings
- 284mmH x 222mmW x 180mmD
- Typical mounting height 1350mm

WA-PTDR







WA-PTDWR1-SM

- Surface mounted
- Removable 13.5L waste bin
- 304 grade satin stainless steel
- Key lockable
- · Concealed fixings
- 1360mmH x 290mmW x 105mmD

WA-PTDWR1-R

- Recessed
- Removable 13.5L waste bin
- 304 grade satin stainless steel
- Key lockable
- Concealed fixings
- 1360mmH x 290mmW x 105mmD

WA-PTDWR2-SM

- Surface mounted
- Removable 6.5L waste bin
- 304 grade satin stainless steel
- Key lockable
- Concealed fixings
- 720mmH x 305mmW x 112mmD

WA-PTDWR2-R

- Recessed
- Removable 6.5L waste bin
- 304 grade satin stainless steel
- Key lockable
- Concealed fixings
- 720mmH x 305mmW x 112mmD

WA-PTDWR1-R



WA-PTDWR2-R



Recessed versions shown





WA-TRH1

- 304 grade stainless steel
- 25mmH x 146mmW x 73mmD

WA-TRH2-S (single) WA-TRH2-D (double)

- Satin stainless steel
- Mounts with chrome-plated ABS rollers
- WA-TRH2-S -200mmW x 100mmD
- WA-TRH2-D 365mmW x 100mmD

WA-TRH3-S (single) WA-TRH3-D (double)

- Bright polished stainless steel with hood
- WA-TRH3-S 162mmH x 162mmW x 130mmD
- WA-TRH3-D -162mmH x 322mmW x 91mmD
- Typical mounting height 575mm

WA-TRH4-D (double) WA-TRH4-T (triple)

- Satin stainless steel
- Key lockable
- WA-TRH4-D -310mmH x 125mmW x 130mmD
- WA-TRH4-T -450mmH x 125mmW x 130mmD
- Typical mounting height 700mm

WA-TRH1



WA-TRH2-S (shown) / WA-TRH2-D



WA-TRH3-S (shown) / WA-TRH3-D



WA-TRH4-D (shown) / WA-TRH4-T







WA-TRH5

- ABS plastic body
- Key lockable
- 314mmH x 420mmW x 130mmD
- Typical mounting height 750mm

WA-TRH6

- Satin stainless steel
- Key lockable
- Inner core diameter 75mm
- 273mmH x 273mmW x 120mmD

WA-TRH7-S (single) WA-TRH7-D (double)

- Enamel baked aluminium with ABS plastic holder
- Restricted feed and tamper resistant holder
- WA-TRH7-S 44mmH x 168mmW x 103mmD
- WA-TRH7-D -44mmH x 330mmW x 103mmD

WA-TRH8

- 304 grade satin finish stainless steel
- Key lockable
- Double dispenser
- ABS plastic rollers
- 308mmH x 153mmW x 165mmD

WA-TRH5



WA-TRH6



WA-TRH7-S (shown) / WA-TRH7-D



WA-TRH8







WA-TIS1

WA-TISSR1 (inc. safety release)

- Diecast zinc with satin chrome finish
- Screw fix
- 42mmW x 59mmH x 6mmD

WA-TISSR2 (inc. safety release)

- Brass with satin chrome finish
- Concealed fix
- 50mm diameter x 13mmD

WA-TISSR3 (inc. safety release)

- Brass with satin chrome finish 60mm backset
- Concealed fix
- Morticed
- 50mm diameter

WA-TISDC

- AS1428 compliant
- 304 grade stainless steel
- Concealed fix
- 50mm snib
- 54mmx10mm Rose

WA-TIS1 (shown) / WA-TISSR1



WA-TIS2 (shown) / WA-TISSR2



WA-TIS3 (shown) / WA-TISSR3



WA-TISDC







WA-BCS-H

(horizontal baby change station)

WA-BCS-V

(vertical baby change station)

- Manufactured from ABS plastic
- Anti-microbial plastic on all baby contact surfaces
- Inbuilt shelf
- 546mm x 851mm x 102mm

WA-SBCS

(horizontal baby change station)

- Manufactured from ABS plastic
- Stainless steel outer shell
- Anti-microbial plastic on all baby contact surfaces
- Inbuilt shelf
- 585mm x 940mm x 104mm

WA-FSS (folding shower seat)

- AS1428 compliant
- One piece high pressure 13mm laminate seat with 3 drainage slots
- Fold away legs for increased support
- 25mm S/S tube legs & frame
- 960mmL x 400mmW

WA-MIR-DC (disabled compliant mirror)

- AS1428 compliant
- Satin stainless steel frame with 6mm thick plate glass
- Wall brackets secured with anti-vandal screws
- 450mmW x 1000mmH

WA-BCS-H



WA-SBCS



WA-FSS



WA-MIR-DC







WA-HD (hand dryer)

- 500W brush motor
- Infrared automatic
- Less than 15 seconds dry time
- 55 degree air output temperature
- 60 seconds auto shut off
- 220mm x 248mm x 145mm

WA-HD



WA-US300 (300mm utility shelf) WA-US457 (457mm utility shelf)

- AS1428 compliant
- 1.5mm 304 grade satin stainless steel
- Exposed wall fixings
- WA-US300 300mmL x 128mmD x 105mmH
- WA-US457 -457mmL x 128mmD x 105mmH

WA-US300 / WA-457







WA-DS-FT

WA-DS-MT

WA-DS-UT

WA-DS-DT-LH

WA-DS-DT-RH

WA-DS-S

WA-DS-BC

3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 150mm x 150mm
- Blue ABS plastic
- Includes braille













WA-DS-S



WA-DS-BC











WARDSTOTAN

Fernale Toilet RH





WIN-DO-MOT-RH

WA-DS-FAT

WA-DS-MAT

WA-DS-FDT-LH

WA-DS-FDT-RH

WA-DS-MDT-LH

WA-DS-MDT-RH

WA-DS-UAT

WA-DS-UAT-LH

WA-DS-UAT-RH

WA-DS-UDTPR-LH

WA-DS-UDTPR-RH

WA-DS-UDTS-LH

WA-DS-UDTS-RH

3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 210mm x 180mm
- Blue ABS plastic
- Includes braille



MA-CG-LIAT















WA-DS-UDTS-RH





WA-SDS-FT

WA-SDS-MT

WA-SDS-UT

WA-SDS-DT-LH

WA-SDS-DT-RH

WA-SDS-S

WA-SDS-BC

3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 150mm x 150mm
- Silver ABS plastic
- Includes braille



WA-SDS-FT



WA-SDS-MT



WA-SDS-UT





WA-SDS-DT-RH



WA-SDS-S



WA-SDS-BC


























WA-SDS-FAT WA-SDS-MAT WA-SDS-FDT-LH WA-SDS-FDT-RH

WA-SDS-MDT-LH

WA-SDS-MDT-RH

WA-SDS-UDTPR-LH WA-SDS-UDTPR-RH

WA-SDS-UDTS-LH WA-SDS-UDTS-RH

3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 210mm x 180mm
- Silver ABS plastic
- Includes braille

















WA-RH1

- Diecast zinc with satin chrome finish
- 42mm diameter x 90mmD

WA-RH1



WA-RH2

- Satin stainless steel
- Protective rubber bumper
- 70mmH x 12mmW x 92mmD

WA-RH2



WA-RH3

- Diecast zinc with satin chrome finish
- Protective rubber bumper
- Concealed fixings
- 73mmH x 18mmW x 93mmD

WA-RH3










M-BB-1-C

This baby bath is available with a flange for bench mounting. It is designed for use in shopping centres, hospitals and daycare centres.


FEATURES & BENEFITS:

- Manufactured from 304 1.2mm stainless steel
- Features a 50mm outlet suits 3monkeez® PW50 or PW50-SS316
- Radius corners

Тор



Front









M-SS-MIR


3monkeez® stainless steel mirrors are an ideal solution where durability and vandal resistance is a priority. Constructed from 304 or 316 grade stainless steel, they are finished with a no. 8 mirror polish.

FEATURES & BENEFITS:

- Manufactured from high quality 1.2mm
 304 or 316 grade stainless steel
- 12mm fibre cement backing
- No.8 mirror polish
- Manufactured to your requirements
- · Fixing holes on request
- Surface mounted
- Anti vandal
- Durable and economical


Custom made products incur a lead time





Side





Cross Section









CF-300-SS



CF-400-SS




CF-450-SS



CF-600-SS



CF-700-SS





PRODUCT CODE:

CF-300-SS

CF-400-SS

CF-450-SS

CF-600-SS

CF-700-SS

FEATURES & BENEFITS:


- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish
- Other sizes available upon request

All grab rails are manufactured to comply with clause 17 of AS 1428.1-2009 for design and construction.

For horizontal fixing of grab rails.

For horizontal fixing of grab rails, mount 800 mm to 810 mm above floor level.

CF-077-LH-SS / CF-077-RH-SS (left hand shown)




CF-454-SS






CF-457-LH-SS / CF-457-RH-SS (left hand shown)







CF-877-LH-SS / CF-877-RH-SS (left hand shown)







CF-966-LH-SS / CF-966-RH-SS (left hand shown)







PRODUCT CODE:

CF-077-LH-SS

CF-077-RH-SS

CF-454-SS

CF-457-LH-SS

CF-457-RH-SS

CF-877-LH-SS

CF-877-RH-SS

CF-966-LH-SS

CF-966-RH-SS

FEATURES & BENEFITS:

- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish
- Other sizes available upon request

All grab rails are manufactured to comply with clause 17 of AS 1428.1-2009 for design and construction. For horizontal fixing of grab rails, mount 800 mm to 810 mm above floor level.



WA-BR

- 32mm diameter
- 78mm flange
- 304 grade stainless steel
- Satin finish

WA-BR






BR-400-CF-SS

- 96* tamperproof, sanitary safe, polar white, UV stabilised high density polyethylene (HDPE) with rounded edge back support
- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish

BR-400-CF-SS





BR-440-CF-SS

- 96* tamperproof, sanitary safe, polar white, UV stabilised high density polyethylene (HDPE) with rounded edge back support
- Includes 450mm extension
- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish

BR-440-CF-SS









WA-BRGR-45LH WA-BRGR-45RH

- 415mm rear grab rail length
- 834mm x 700mm side grab rail length
- 32mm diameter
- 78mm flange
- 304 grade stainless steel
- Satin finish

WA-BRGR-45LH / WA-BRGR-45RH



WA-BRGR-90LH WA-BRGR-90RH

- 415mm rear grab rail length
- 960mm x 600mm side grab rail length
- 32mm diameter
- 78mm flange
- 304 grade stainless steel
- Satin finish

WA-BRGR-90LH / WA-BRGR-90RH































FEATURE PRODUCT

WALL FACED TOILET PAN

Featuring a rear inlet, ideal for use with in wall cisterns

🕓 S trap pan is supplied with a separate pan bend (set out dimension 120mm)

- No ligature points
- 2mm 304 grade stainless steel
- 🕓 Top inlet and close coupled also available on request
- Radius edges
- Concealed fixings and satin finish vandal proof design





*Registered Trademark 3monkees Pty Ltd



06 URINALS, FLUSHING & TOILET PANS



REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
6.01	Deluxe Slab Urinal	6.14	Stainless Steel Cistern Case
6.02	Standard Slab Urinal	6.15	Cistern Spare Parts
6.03	Standard Wall Hung Urinal	6.16	Pedestal Toilet Pan - P Trap
6.04	Urinette	6.17	Pedestal Toilet Pan - S Trap
6.05	Pod Urinal	6.18	Wall Faced Toilet Pan
6.06	Urinal Parts	6.19	Ambulant Wall Faced Toilet Pan
6.07	Spreaders	6.20	Disabled Compliant Wall Faced Toilet Pan
6.08	Stainless Steel Pull Chain Cistern	6.21	Wall Faced Closed Coupled Toilet Pan
6.09	Stainless Steel Dual Flush Cistern	6.22	Disabled Compliant Wall Faced Closed Coupled Toilet Pan
6.10	Stainless Steel Disabled Compliant Dual Flush Cistern	6.23	Toilet Seats
6.11	Stainless Steel Front Press Cistern	6.24	In Wall Cistern (suits Toilet Pans)
6.12	Stainless Steel Side Press Cistern	6.25	In Wall Cistern (suits Urinette & Pod Urinal)
6.13	Flushpipes		



M-DSUR

This quality urinal is hand made and incorporates a unique returned sparge that maximises water efficiency. It features a walk on hinged grate that allows for easy cleaning access.

FEATURES & BENEFITS:


- Constructed from 1.2mm 304 grade stainless steel
- Outlet position as required
- · Length as required
- 3 star WELS approved
- Rear or top inlet available
- Suitable for use with self flushing systems

Custom made products incur a lead time







Top



Front



Cross Section



Optional Top Inlet Accessories Kit

M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer









M-SSUR


This economical and durable slab urinal features a unique returned sparge that maximises water efficiency.

FEATURES & BENEFITS:


- Constructed from 1.2mm 304 grade stainless steel
- Outlet position as required
- · Length as required
- 3 star WELS approved
- Rear or top inlet available
- Suitable for use with self flushing systems

Custom made products incur a lead time

Тор



Front



Cross Section



Optional Top Inlet Accessories Kit

M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer












M-SWHUR

This wall hung urinal is perfect for temporary applications such as site sheds or mobile ablution amenities.

FEATURES & BENEFITS:


- Constructed from 304 grade 1.2mm stainless steel
- Outlet position as required for custom made
- Length as required
- 3 star WELS approved
- Rear or top inlet available for custom made
- 600mm, 900mm, 1200mm, 1500mm, 1800mm, 2400mm available off the shelf. All centre outlets. All with one top centre inlet (2400mm has two top inlets which are 600mm in from ends)

Custom made products incur a lead time





Side



Optional Top Inlet Accessories Kit

M-WHURACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe, nut and washer and domed grate



Suggested mounting height from floor level to front rim:

Adults - 610mm Children - 510mm











AB-URN

This single stall urinette is perfect for temporary applications such as site sheds or mobile ablution amenities. The design makes installation simple, and it also features a top entry inlet.

FEATURES & BENEFITS:


- Pre-drilled fixing holes
- Constructed from 1.2mm 304 grade stainless steel
- 50mm outlet
- Complete with top entry spreader and domed grate
- Cross breaks to outlet
- 3 star WELS approved

In stock and available for immediate delivery





Front



Side



Optional Top Inlet Accessories Kit M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer



Suggested mounting height from floor level to front rim:

Adults - 610mm Children - 510mm









Photo Shows URN-TD-S
PRODUCT CODE:
URN-TD-S (rear inlet)
URN-TD-TI (top inlet)

The 3monkeez® Pod Urinal is perfect for use in hotels, clubs, public amenities or wherever a high end, vandal resistant solution is required. The modern and stylish appearance will complement high end facilities.


FEATURES & BENEFITS:

- Pre-drilled fixing holes with wall bracket
- Vandal resistant
- 1/2" MI BSP rear or 1" MI BSP top inlet
- 2" MI BSP Outlet
- Includes domed grate
- Fully conceals plumbing fixtures
- Constructed from 1.2mm 304 grade stainless steel
- 3 star WELS approved


In stock and available for immediate delivery




Тор




Bottom



Side




Side - If Top Inlet



Back

Bracket



Optional Top Inlet Accessories Kit

M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer



Suggested mounting height from floor level to front rim:

Adults - 610mm Children - 510mm





URNNW



URNNW-1



URNG



URNPG



PRODUCT CODE

URNNW (nut and washer)

URNNW-1 (sparge adaptor)

URNG (domed urinal grate)


URNPG (100mm push in urinal grate)

URNNW: This nut and washer is chrome plated. It comes with a reducing washer, which allows it to accommodate 20mm or 25mm sparge pipes.

URNNW-1: This sparge adaptor is chrome plated and reduces from a 40mm thread to a 20mm or 25mm sparge pipe.

URNG: Suits wall hung urinals and urinettes with 50mm BSP connection.

URNPG: Suits existing slab urinal outlets and replaces damaged or lost grates.







URNSB1 - Rear Entry Button Spreader



URNSB1 URNSB2 URNS

URNSB-1: This rear entry button spreader features a spreader button with 15mm BSP female thread.

URNSB-2: This rear entry button spreader features a spreader button with 20mm BSP female thread.

URNS: The chrome plated top entry exposed spreader comes complete with a chrome plated nut and washer, and it is designed to accommodate 20mm or 25mm sparge pipes.

URNSB2 - Rear Entry Button Spreader



URNS - Top Entry Exposed Spreader







AB-CIS-PC (bottom entry)
AB-CIS-PC-SE-L (left side entry)
AB-CIS-PC-SE-R (right side entry)

This high quality pull chain cistern has a WELS approved 3 star rating and a reversible inlet valve.

FEATURES & BENEFITS:

- Assembled with high quality inlet and outlet valves
- Adjustable inlet and outlet valves
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 3 star WELS approved
- 40mm outlet Use URNNW-1 to reduce the outlet to suit 20mm or 25mm sparge pipes

In stock and available for immediate delivery







Top



Front



Side







AB-CIS-DF-2 (bottom entry)
AB-CIS-DF-2-SE (side entry)

This high quality dual flush cistern features a WELS approved 3 star rating and a reversible inlet valve. It is also environmentally friendly with a water saving half flush feature.

FEATURES & BENEFITS:

- Assembled with approved high quality inlet and outlet valves
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 3 star WELS approved
- 50mm outlet

In stock and available for immediate delivery







Top



Back



Side











AB-CIS-DCDF (bottom entry) **AB-CIS-DCDF-SE** (side entry)

This high quality dual flush cistern features a WELS approved 3 star rating and a reversible inlet valve. It is also environmentally friendly with a water saving half flush feature.

AS1428 Compliant.

FEATURES & BENEFITS:

- AS1428 Compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 3 star WELS approved
- 50mm outlet


In stock and available for immediate delivery








Top



Front



Side







AB-CIS-FP (bottom entry) **AB-CIS-FP-SE** (side entry)

This high quality dual flush cistern features a WELS approved 3 star rating and a reversible inlet valve. It is also environmentally friendly with a water saving half flush feature.

FEATURES & BENEFITS:


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on front of cistern
- Constructed from high quality 1.2mm 304 grade stainless steel
- · Reversible inlet valve suits left or right
- 3 star WELS approved
- 50mm outlet

In stock and available for immediate delivery






Top



Front



Side









AB-CIS-SP (bottom entry) AB-CIS-SP-SE (side entry)

This high quality dual flush cistern features a WELS approved 3 star rating and a reversible inlet valve. It is also environmentally friendly with a water saving half flush feature.

FEATURES & BENEFITS:


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on side of cistern (can be either left or right)
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 3 star WELS approved
- 50mm outlet

In stock and available for immediate delivery






Top



Back



Side











M-FP600-C

(offset urinal/urinette flushpipe)

M-FP600-S

(straight flushpipe)

M-FP-WC

(90 degree tapered flushpipe)

M-FP600-C: This 600mmL offset urinal/ urinette flush pipe comes as a 25mm standard OD with a 12mm offset. It is manufactured from 304 grade stainless steel.

M-FP600-S: This 600mmL straight flush pipe comes as a 25mm standard OD. It is manufactured from 304 grade stainless steel.

M-FP-WC: This 440mm x 395mm L shaped flushpipe is 50mm OD tapered down to 40mm OD. It is manufactured from 304 grade stainless steel.

Custom options available on request













CIS-60 (with holes)
CIS-60-1 (without holes)


The 3monkeez® cistern case is available with or without holes. Holes can also be custom punched to the customer's requirement.

FEATURES & BENEFITS:


- Constructed from high quality 1.2mm 304 grade stainless steel
- Holes can be custom cut in CIS-60-1 to customer's requirements

In stock and available for immediate delivery

Top (CIS-60-1)




Top (CIS-60)



Front



Side







P-CIS-INLET (inlet valve)

• 1/2" MI BSP

P-CIS-INLET-SIDE ENT (side entry inlet valve)

• 1/2" MI BSP

P-K4-OUTLET

(pull chain outlet valve

• 40mm MI BSP

P-CIS-DF OUTLET

(dual flush outlet valve)

• 50mm MI BSP

P-CIS-CDF OUTLET

(dual flush outlet cable valve

- 50mm MI BSP
- Cable allows buttons to be placed in any position

P-CIS-DCDF BUTTONS

(disabled compliant buttons)

• AS1428 compliant

P-CIS-INLET



P-K4 OUTLET



P-CIS-CDF OUTLET



P-CIS-INLET-SIDE ENT



P-CIS-DF OUTLET



P-CIS-DCDF BUTTONS










WC-SSPP


The 3monkeez® pedestal toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel toilet pan is necessary. It features a rear inlet, perfect for use with in wall cisterns.


FEATURES & BENEFITS:


- Vandal proof design
- Compatible with 3monkeez®
 Dual Flush Cistern AB-CIS-DF or
 3monkeez® Pull Chain Cistern
 - AB-CIS-PC
- · Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel

In stock and available for immediate delivery












Cross Section









Rear





PRODUCT CODE: **WC-SSPS**


The 3monkeez® pedestal toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel toilet pan is necessary. It features a rear inlet, perfect for use with in wall cisterns.


FEATURES & BENEFITS:

- Vandal proof design
- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel


In stock and available for immediate delivery
















If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 330mm - 470mm from wall to centre of outlet.







WC-SSWFP (P trap)
WC-SSWFS (S trap)

The 3monkeez® wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel toilet pan is necessary. It features a rear inlet, perfect for use with in wall cisterns.

FEATURES & BENEFITS:

- Vandal proof design
- No ligature points
- Suitable for use with an in wall cistern
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel

In stock and available for immediate delivery







Top 680

Rear


Side



Bottom



Cross Section



Detail B



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.





PRODUCT CODE: WC-SSAP (P trap)

WC-SSAS (S trap)

The 3monkeez® ambulant wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel toilet pan is necessary. They feature a rear inlet, perfect for use with in wall cisterns.


FEATURES & BENEFITS:

- Suitable for ambulant applications
- Vandal proof design
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel


In stock and available for immediate delivery




Тор




Rear




Side



Bottom







Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 105mm.



Details accurate at time of print. Whilst all care has been taken in compiling this information, designs

& dimensions shown are indicative only and should not be relied upon without prior approval.





WC-SSDP (P trap) WC-SSDS (S trap)

The 3monkeez® disabled wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel toilet pan is necessary. They feature a rear inlet, perfect for use with in wall cisterns.

FEATURES & BENEFITS:

- Suitable for disabled applications
- Vandal proof design
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel


In stock and available for immediate delivery









Top




Rear



Side



Bottom



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.



Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.



PRODUCT CODE:

WC-SSWFCCP (P trap)

WC-SSWFCCS (S trap)

The 3monkeez® close coupled wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel close coupled pan is necessary.

FEATURES & BENEFITS:


- Vandal proof design
- No ligature points and concealed fixings
- Available in P trap or S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel

In stock and available for immediate delivery






Тор



Front



Side



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.

Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.



Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.



PRODUCT CODE:

WC-SSDCCP (P trap)

WC-SSDCCS (S trap)

The 3monkeez® close coupled disabled wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel close coupled disabled pan is necessary.

FEATURES & BENEFITS:

- Suitable for disabled applications
- Vandal proof design
- No ligature points and concealed fixings
- Available in P trap or S trap
- · Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel


In stock and available for immediate delivery








Top




Front



Side

Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.

Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.







WC-3MSFSEAT

WC-SFSEAT

WC-SFSEAT-B (Black)

WC-CSFSEAT

WC-CSFSEAT-B (Black)

WC-CSFSEAT-BL (Blue)

WC-ASFSEAT

WC-3MDFSEAT

WC-DFSEAT

WC-3MSFSEAT: This single flap toilet seat is white and features a closed front.

WC-SFSEAT / WC-SFSEAT-B: This single flap toilet seat is white or black and features an open front.

WC-CSFSEAT / WC-CSFSEAT-B / WC-CSFSEAT-BL: This single flap toilet seat is white, black or blue and features a closed front.

WC-ASFSEAT: This single flap toilet seat is white, features a closed front and is 50mm in height.

WC-3MDFSEAT: This double flap toilet seat is white and features a closed front.

WC-DFSEAT: This double flap toilet seat is white and features a closed front.

All products are in stock and available for immediate delivery

WC-3MSFSEAT



Suitable for use with 3monkeez® pedestal and wall faced pans

WC-CSFSEAT WC-CSFSEAT-B (Black) WC-CSFSEAT-BL (Blue)



Suitable for use with all 3monkeez® pans. Ideal for use with 3monkeez® ambulant and disabled pans

WC-3MDFSEAT



Suitable for use with 3monkeez® pedestal and wall faced pans

WC-SFSEAT WC-SFSEAT-B (Black)



Suitable for use with 3monkeez® pedestal and wall faced pans

WC-ASFSEAT



Suitable for use with 3monkeez® pedestal pans to obtain height required for disabled use

WC-DFSEAT



Suitable for use with 3monkeez® pedestal and wall faced pans





CIS-IWFA

- Suits 3monkeez® pedestal and wall faced toilet pans
- One piece tank manufactured from HDPE
- 80mm depth
- Operating pressure 10-1000kPa
- 3 star WELS

CIS-IWFA-B1


- Mechanical dual flush plate
- Square buttons
- Plastic construction
- Satin and chrome finish

CIS-IWFA-BD


- AS1428 compliant
- Mechanical dual flush plate
- Round buttons
- Vandal resistant
- Metal construction
- Stainless steel and chrome finish

CIS-IWFA






CIS-IWFA-B1



CIS-IWFA-BD








CIS-IWUR

- Suits 3monkeez® uirnette and pod urinal
- Pneumatic operation
- Operating pressure 10-1000kPa
- 3 star WELS

CIS-IWUR






CIS-IWUR-B1

- Pneumatic single flush plate
- Round button
- Satin finish

CIS-IWUR-B1




































FEATURE PRODUCT



SINK WASTE ARRESTOR

- Protects your drainage system from waste
- Ideal for food prep areas
- 🕓 Sydney Water Approval 2006 372
- Fixed secondary strainer with added removable strainer basket
- Supplied with removable plug
- Durable stainless steel chassis
- Suits standard 90mm waste outlet (with 50mm thread connection)
- Watermark approved

*Negistered Trademark 3monkeer Pty Ltd







W.I.S.E. Advice Centre (02) 9627 6111 For Wisdom >> Information >> Support >> Experience





REFERENCE NUMBER	ITEM		
7.01	Sink Waste Arrestor (suits 90mm outlet)		
7.02	Sink Waste Arrestor (suits 127mm outlet)		
7.03	Cast Stainless Steel Sink Waste Arrestor (suits 90mm outlet)		
7.04	Cast Stainless Steel Sink Waste Arrestor (suits 127mm outlet)		
7.05	Cast Stainless Steel Shut Off Valve		
7.06	Cast Stainless Steel Sink Waste Arrestor with Shut Off Valve (suits 90mm outlet)		
7.07	Cast Stainless Steel Sink Waste Arrestor with Shut Off Valve (suits 127mm outlet)		

REFERENCE NUMBER	ITEM			
7.08	Sink Wastes - Standard & Designer			
7.09	Domestic Sink Waste Arrestor (suits 90mm outlet)			
7.10	Pre-Rinse Scrapbaskets			
7.11	Clay / Plaster Arrestor			
7.12	Clay Arrestor			
7.13	Plaster Trap			
7.14	Tundish			





SSBW P-PLUGSSBW (plug only) P-BASKETSSBW (basket only)

An innovative product that is perfect for use in food preparation areas, the SSBW suits a standard 90mm waste outlet with 50mm BSP thread/connection. Features include a removable stainless steel basket with fixed secondary strainer.


FEATURES & BENEFITS:

- Sydney Water Approval Number: 2006 - 372
- Watermark Approval Number: 23097
- Removable stainless steel strainer basket
- Fixed secondary strainer
- 3.95mm diameter strainer holes
- Complete with removable plug
- Can be retro fitted to 90mm outlet

In stock and available for immediate delivery




Тор







Cross Section



P-PLUGSSBW



Bottom





P-BASKETSSBW







SSBW-1 P-PLUGSSBW-1 (plug only) P-BASKETSSBW-1 (basket only)

The large internal capacity of the SSBW-1 makes it suitable for high volume environments. It suits a 127mm waste outlet with 50mm BSP thread/connection. Features include a removable stainless steel basket with a fixed secondary strainer.


FEATURES & BENEFITS:

- Sydney Water Approval Number: 2006 -377
- Watermark Approval Number: 23097
- Removable stainless steel strainer basket
- Fixed secondary strainer
- 3.95mm diameter strainer holes
- Complete with removable plug
- Suits a 127mm outlet

In stock and available for immediate delivery




Top



Bottom








ide



Cross Section



P-PLUGSSBW-1



P-BASKETSSBW-1







SCRAP-S-90 (304 grade) SCRAP-S-90-316 (316 grade) SCRAP-S-90-P-316 (plug only) SCRAP-S-90-B-316 (basket only)

The full stainless steel construction makes this product ideal for the most demanding environments and it is available in 304 or 316 grade stainless steel. Features include a removable basket and a fixed secondary strainer. It suits a standard 90mm outlet and has a 50mm BSP thread/connection.

FEATURES & BENEFITS:

- Watermark Approval Number: 23097
- Available in 304 or 316 grade stainless steel
- Cast stainless construction
- Reliable and hard-wearing
- 4mm diameter strainer holes
- Suitable for use with SCRAP-V and SCRAP-V316

In stock and available for immediate delivery







Тор



Side



Cross Section



SCRAP-S-90-P-316



Bottom





SCRAP-S-90-B-316





Cast Stainless Steel Sink Waste Arrestor (suits 127mm outlet)





PRODUCT CODE:

SCRAP-S (304 grade) SCRAP-S316 (316 grade) SCRAP-S-P-316 (plug only) SCRAP-S-B-316 (basket only)

The SCRAP-S features a full stainless steel construction which makes it perfect for the most demanding environments and it's large internal capacity is ideal for high volume commercial situations. It is available in 304 or 316 grade stainless steel and features a removable basket and a fixed secondary strainer. It suits a 127mm outlet and has a 50mm BSP thread/connection.

FEATURES & BENEFITS:


- Watermark Approval Number: 23097
- Available in 304 or 316 grade stainless steel
- Cast stainless construction
- Reliable and hard-wearing
- 4mm diameter strainer holes
- Suitable for use with SCRAP-V and SCRAP-V316


In stock and available for immediate delivery






Top





Cross Section



SCRAP-S-P-316



Bottom



SCRAP-S-B-316







PRODUCT CODE: SCRAP-V (304 grade) SCRAP-V316 (316 grade)


When a SCRAP-V is used there is no need to search for the plug in a sink full of hot contaminated waste water. The SCRAP-V is a robust and long lasting butterfly valve that is compatible with the cast stainless steel ScrapTrap range. It is available in 304 or 316 grade stainless steel.

FEATURES & BENEFITS:

- Custom designed ergonomic handle
- Suitable for use with SCRAP-S-90, SCRAP-S-90-316, SCRAP-S and SCRAP-S316
- Suits 50mm BSP thread/connection

In stock and available for immediate delivery

Тор



Bottom











SCRAP-C-90 (304 grade) SCRAP-C-90-316 (316 grade) SCRAP-S-90-P-316 (plug only) SCRAP-S-90-B-316 (basket only)

The full stainless steel construction makes this product ideal for the most demanding environments. It is available in 304 or 316 grade stainless steel and features a removable basket and a fixed secondary strainer. It suits a standard 90mm outlet and has a 50mm BSP thread/connection.


FEATURES & BENEFITS:

- Watermark Approval Number: 23097
- Available in 304 or 316 grade stainless steel
- Cast stainless construction
- · Reliable and hard-wearing
- 4mm diameter strainer holes
- Custom designed ergonomic handle


In stock and available for immediate delivery








Front







SCRAP-S-90-P-316



SCRAP-S-90-B-316









SCRAP-C (304 grade) **SCRAP-C316** (316 grade) SCRAP-S-P-316 (plug only) SCRAP-S-B-316 (basket only)

The full stainless steel construction makes this product ideal for the most demanding environments. It is available in 304 or 316 grade stainless steel and features a removable basket and a fixed secondary strainer. It suits a standard 125mm outlet and has a 50mm BSP thread/connection.


FEATURES & BENEFITS:

- Watermark Approval Number: 23097
- Available in 304 or 316 grade stainless steel
- Cast stainless construction
- · Reliable and hard-wearing
- 4mm diameter strainer holes
- Custom designed ergonomic handle


In stock and available for immediate delivery








Front



Side



SCRAP-S-P-316



SCRAP-S-B-316





Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.



PW40 PW50

PW50-SS316

BW90S (short) BW90L (long)

The 3monkeez® range of sink wastes are suitable for a number of environments, including both commercial and domestic applications.

FEATURES & BENEFITS:

PW40

- Suits 40mm outlet
- 40mm BSP connection
- Stainless steel rim

PW50

- Suits 50mm outlet
- 50mm BSP connection
- Stainless steel rim

PW50-SS316

- Suits 50mm outlet
- 50mm BSP connection
- 316 grade stainless steel construction
- Removable grate

BW90S & BW90L

- Suits 90mm outlet
- 50mm BSP connection
- Stainless steel insert and basket
- 50mm bolt length

PW40

PW50



Overall height - 69mm

Overall height - 55mm

PW50-SS316



Overall height - 45mm

BW90S

BW90L



Overall height - 62mm

Overall height - 81mm









SSDBW P-SSDBW-PLUG (plug only) P-SSDBW-BASKET (basket only)

This smart sink waste is the perfect solution for multi-dwelling constructions. It takes the load off sewerage systems and minimises costly repairs and maintenance by preventing solids entering the sewerage system.

FEATURES & BENEFITS:


- Designer stainless steel finish
- Double injection moulded to prevent discolouration
- Suitable for domestic applications
- Minimises blockages and solids entering the sewerage system
- Perfect for multi dwelling constructions
- Removable stainless steel strainer basket
- Fixed secondary strainer
- Complete with removable plug
- Can be retro fitted to 90mm outlet
- 50mm BSP Connection

In stock and available for immediate delivery







Top



Side











SB1 (270mm x 415mm x 130mm) **SB2** (415mm x 415mm x 130mm)

Both the SB-1 and SB-2 Pre-Rinse Scrapbaskets are an affordable and commonsense solution to the frustrating problem of blocked drains in pre wash areas of commercial kitchens.

SB-1: Suitable for a variety of commercial pre wash sinks, two can be positioned side by side to suit a 600mm x 450mm sink space.

SB- 2: Designed to suit the 450mm x 450mm dimensions of a standard commercial sink.


FEATURES & BENEFITS:

- Durable ABS plastic
- Dishwasher friendly
- Easy lift handles
- Lightweight
- No sharp edges
- A unique Australian design

In stock and available for immediate delivery

SB-1


Top



Front


Side





SB-2

Тор



Front

Side







AB-CA-3

This clay/plaster arrestor features removable filter baskets and a removable lid. It is typically used in schools, art studios. medical and education facilities.

FEATURES & BENEFITS:

- Manufactured with 1.2mm 304 grade stainless steel
- 50mm BSP inlet and outlet
- Typically used in schools, art studios, medical and education facilities
- 58.5L capacity
- Removable filter baskets
- Removable lid

In stock and available for immediate delivery






Front



Side









M-CA-3


This clay arrestor features removable filter baskets and a removable lid. It is typically used in schools, art studios, medical and educational facilities.

FEATURES & BENEFITS:


- Manufactured from high quality 1.2mm 304 or 316 grade stainless steel
- 50mm BSP inlet and outlet
- Typically used in schools, art studios, medical and educational facilities
- 67L capacity
- Removable filter baskets
- Removable lid


Custom made products incur a lead time


Top



Front











M-PL-3


This plaster trap features removable baffles and a removable lid with a handle. It is typically used in schools, art studios, medical and educational facilities.

FEATURES & BENEFITS:


- Manufactured from high quality 1.2mm 304 or 316 grade stainless steel
- 50mm BSP inlet and outlet
- Typically used in schools, art studios, medical and educational facilities
- 53L capacity
- Removable baffles
- Removable lid

Custom made products incur a lead time

Top




Front





Side










CS-TUND

This inwall tundish is easy and conomical to set up for air conditioning discharges. Complete with perspex window, screw on face plate for easy removal and pre-drilled fixing wings.


FEATURES & BENEFITS:


- 304 grade stainless steel
- Clear perspex front for easy inspection
- Easily removed face plate
- Pre-drilled fixing wings
- Available off the shelf
- Other sizes and styles available on request

Front




Back






Top













Range Summary SEE OVER FOR FIX.L RANGE



























FEATURE PRODUCT



FLOOR WASTE ARRESTOR (100mm)

- Prevents solid trade waste from entering the drainage system
- Fixed secondary strainer with added removable strainer basket
- 🕓 Suits 100mm DWV, HDPE pipe
- Full stainless steel
- 🕓 Watermark approved



*Registered Trademark 3markeez Pty Ltd









REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
8.01	100mm Drop in Floor Waste Arrestor	8.13	150mm Square Floor Waste
8.02	150mm Round Floor Waste Arrestor	8.14	200mm Square Floor Waste - 100mm Pipe
8.03	150mm Square Floor Waste Arrestor	8.15	200mm Square Floor Waste - 150mm Pipe
8.04	200mm Square Floor Waste Arrestor	8.16	225mm Square Floor Waste - 100mm Pipe
8.05	100mm Vinyl Floor Waste Arrestor	8.17	225mm Square Floor Waste - 150mm Pipe
8.06	100mm Vinyl Floor Waste	8.18	250mm Square Floor Waste - 100mm Pipe
8.07	130mm Round Clear Out	8.19	250mm Square Floor Waste - 150mm Pipe
8.08	150mm Round Clear Out	8.20	300mm Square Floor Waste - 100mm Pipe
8.09	130mm Round Vinyl Floor Clear Out	8.21	300mm Square Floor Waste - 150mm Pipe
8.10	200mm Round Vinyl Floor Clear Out	8.22	150mm Round Vinyl Floor Waste - 100mm Pipe
8.11	112mm Round Floor Waste	8.23	200mm Round Vinyl Floor Waste - 150mm Pipe
8.12	150mm Round Floor Waste		



FW-100BRL

FW-100RL-BASKET (basket only)

Another 3monkeez® trade waste solution to combat solids entering the drainage system. This product suits 100mm DWV, has a fixed secondary strainer, removable basket, and is available in 304 grade stainless steel.

FEATURES & BENEFITS:


- Fixed secondary strainer
- Removable strainer basket
- Suits 100mm DWV, HDPE pipe

In stock and available for immediate delivery

Top



Side




Bottom





Cross Section



FW-100RL-BASKET









FW-150BR

FW-150R-BASKET (basket only)


Great for commercial kitchens, shopping centres and hospitals. Available in 304 grade stainless steel, it suits 100mm DWV, and has a 150mm diameter round grate. It also features a fixed secondary strainer and removable basket.

FEATURES & BENEFITS:

- Fixed secondary strainer
- Removable strainer basket
- Suits 100mm DWV, HDPE pipe

IIn stock and available for immediate delivery


Тор



Bottom










Cross Section



FW-150R-BASKET









FW-150BS

FW-150S-BASKET (basket only)


This modern lineal design floor waste is available in 304 grade stainless steel. It suits 100mm DWV and has a150mm hinged square grate with a fixed secondary strainer and removable basket.

FEATURES & BENEFITS:

- Hinged grate
- Fixed secondary strainer
- Removable strainer basket
- Suits 100mm DWV, HDPE pipe

In stock and available for immediate delivery






Bottom




Side





Cross Section



FW-150S-BASKET











FW-200BS-304 FW-200BS-316 FW-200S-BASKET-304 (basket only) FW-200S-BASKET-316 (basket only)


This modern lineal design floor waste is available in 304 grade or 316 grade stainless steel. It suits 100mm DWV or HDPE and has a 200mm square grate. Fixed secondary strainer and removable basket.


FEATURES & BENEFITS:

- Hinged grate
- Suits 100mm DWV, HDPE pipe
- Fixed secondary strainer
- Removable strainer basket

In stock and available for immediate delivery

Top











FW-100VRBT

This floor waste is perfect for vinyl floor applications. It has a modern lineal design and is manufactured in 304 grade stainless steel. It suits 100mm DWV and has a 150mm wide round grate with a fixed secondary strainer and removable basket.

FEATURES & BENEFITS:

- Vinyl clamp
- · Stainless steel grate
- Suits 100mm DWV, HDPE pipe
- Fixed secondary strainer
- Removable strainer basket

In stock and available for immediate delivery


Top



Bottom



Side

















Тор



Bottom



PRODUCT CODE

FW-100VR

This product is perfect for vinyl floor applications, and offers a modern design in chrome plated brass. It suits 100mm DWV.

FEATURES & BENEFITS:

- Solid brass body
- Chrome plated brass grate
- Suits 100mm DWV, HDPE pipe

In stock and available for immediate delivery

Side















PRODUCT CODE: **FW-130CO-304 FW-130CO-316**

3monkeez® 130mm round clear out is available in both 304 grade and 316 grade stainless steel. It is used in applications where access to the drainage line is required and features a push fit o-ring seal to suit 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 3mm thick removable top
- Suit tiled floor application
- Push fit o-ring seal
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe

In stock and available for immediate delivery





Front













FW-150CO-304 FW-150CO-316

3monkeez® 150mm round clear out is available in both 304 grade and 316 grade stainless steel. It is used in applications where access to the drainage line is required and features a push fit o-ring seal to suit 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 3mm thick removable top
- Suit tiled floor application
- Push fit o-ring seαl
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe

In stock and available for immediate delivery

Top



Front











PRODUCT CODE: FW-130VCO-304 FW-130VCO-316

3monkeez® 130mm round clear out is available in both 304 grade and 316 grade stainless steel. It is used in applications where access to the drainage line is required and features a push fit o-ring seal to suit 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:

- 2mm thick removable top
- Suit vinyl floor application
- Includes vinyl clamp
- Push fit o-ring seal
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


In stock and available for immediate delivery




Top



Front









FW-200VCO-150-304 FW-200VCO-150-316

3monkeez® 200mm round clear out is available in both 304 grade and 316 grade stainless steel. It is used in applications where access to the drainage line is required and features a push fit o-ring seal to suit 150mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 2mm thick removable top
- Suit vinyl floor application
- Includes vinyl clamp
- Push fit o-ring seαl
- 304 or 316 grade stainless steel
- Suits 150mm DWV, HDPE pipe

In stock and available for immediate delivery

Top



Front











PRODUCT CODE: FW-100RL-304 FW-100RL-316

This drop in floor waste is available in either 304 or 316 grade stainless steel. Features an easily removable grate and is suitable for 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:

- 112mm round
- Heel proof
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe

In stock and available for immediate delivery

Тор



Front













FW-150R-304 FW-150R-316


This modern round floor waste features a heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 150mm round
- Removable grate
- Heel proof
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


In stock and available for immediate delivery

Тор




Front











FW-150S-304 FW-150S-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 150mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


In stock and available for immediate delivery

Top




Front











FW-200S-304 FW-200S-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 200mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


In stock and available for immediate delivery

Тор



Front














FW-200S-150-304 FW-200S-150-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 150mm DWV or HDPE pipe.

FEATURES & BENEFITS:

- 200mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 150mm DWV, HDPE pipe


In stock and available for immediate delivery

Top




Front











FW-225S-304 FW-225S-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 225mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


In stock and available for immediate delivery

Тор



Front














FW-225S-150-304

FW-225S-150-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 150mm DWV or HDPE pipe.

FEATURES & BENEFITS:

- 225mm square
- · Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 150mm DWV, HDPE pipe

In stock and available for immediate delivery

Тор




Front











FW-250S-304 FW-250S-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 250mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


IIn stock and available for immediate delivery

Top




Front











FW-250S-150-304 FW-250S-150-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 150mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 250mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 150mm DWV, HDPE pipe


In stock and available for immediate delivery

Тор




Front











FW-300S-304 FW-300S-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 300mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


In stock and available for immediate delivery

Тор




Front











FW-300S-150-304 FW-300S-150-316


This modern linear design floor waste features a hinged heel guard grate and is available in 304 or 316 grade stainless steel. It is suitable for installations in either 150mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 300mm square
- Heel proof
- Hinged grate
- 304 or 316 grade stainless steel
- Suits 150mm DWV, HDPE pipe

In stock and available for immediate delivery

Тор



Front











FW-100VRT-304 FW-100VRT-316

Suitable for vinyl floor installations, this floor waste features a vinyl clamp and a 150mm round removable grate. It is available in 304 and 316 grade stainless steel and is suitable for use with 100mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 150mm round
- · Heel proof
- Suit vinyl floor application
- Includes vinyl clamp
- 304 or 316 grade stainless steel
- Suits 100mm DWV, HDPE pipe


In stock and available for immediate delivery

Top



Front













PRODUCT CODE: FW-200VRT-150-304 FW-200VRT-150-316

Suitable for vinyl floor installations, this floor waste features a vinyl clamp and a 200mm round removable grate. It is available in 304 and 316 grade stainless steel and is suitable for use with 150mm DWV or HDPE pipe.

FEATURES & BENEFITS:


- 200mm round
- · Heel proof
- Suit vinyl floor application
- Includes vinyl clamp
- 304 or 316 grade stainless steel
- Suits 150mm DWV, HDPE pipe


In stock and available for immediate delivery





Front











Range Summary SEE OVER FOR FULL HANGE





























FEATURE PRODUCT

IN2GRE LINEAR DRAIN KIT

First with S/S variable outlet position

- Designed to appeal and made tough to last in 316 marine grade stainless steel
- Unique variable outlet position
- You decide where to locate the outlet

- Code: M-FT-7
- 🤝 Easy to install with all components in a kit including a hole saw
- 💟 Tile insert option ideal for bathrooms
- Wedge wire grate in 316 stainless steel ideal for indoors and outdoors – heavy duty option for 125mm & 150mm width
- Range of flat or "V" bottom channels with safety folded edges
- 📀 5 widths available, with optional fixed or removable waste strainer







O9 LINEAR DRAINS, IN2GR8 & WEDGE WIRE SHEETS

REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
9.01	In2Gr8 - V Bottom 50 Series	9.12	Floor Trough 1
9.02	In2Gr8 - V Bottom 75 Series	9.13	Floor Trough 2
9.03	In2Gr8 - V Bottom 100 Series	9.14	Floor Grate & Frame
9.04	In2Gr8 - V Bottom 125 Series	9.15	Floor Trough 4
9.05	In2Gr8 - V Bottom 150 Series	9.16	Floor Trough 5
9.06	In2Gr8 - Flat Bottom 75 Series	9.17	Smart Trough
9.07	In2Gr8 - Flat Bottom 100 Series	9.18	Floor Sump
9.08	100mm Square Tile Insert Point Drain	9.19	Grating Profiles
9.09	130mm Square Tile Insert Point Drain	9.20	Wedge Wire - G100
9.10	130mm Square Stainless Steel Tile Insert Point Drain	9.21	Wedge Wire - G200
9.11	130mm Wedge Wire Point Drain	9.22	Wedge Wire - G300



M-FT-7-050 (with G200 grate)

The unique and flexible design of our In2Gr8 modular drainage system ensures a solution can be found for almost all applications. We can pre-assemble to your requirements or provide in kit form to make your next drainage project easy.


FEATURES & BENEFITS:

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm outlet
- G200 wedge wire grate
- Corners available 45 degree or 90 degree
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times
- Epoxy coating available for pre-fabricated





Profile



Channel



End Cap



Joining Strip



Grate



Outlet









M-FT-7-075 (with G200 grate or tile insert)

The unique and flexible design of our In2Gr8 modular drainage system ensures a solution can be found for almost all applications. We can pre-assemble to your requirements or provide in kit form to make your next drainage project easy.


FEATURES & BENEFITS:

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm or 50mm outlet
- · G200 wedge wire grate or tile insert
- Corners available 45 degree or 90 degree
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times
- Epoxy coating available for pre-fabricated





Profile



Channel



Grate



Tile Insert



End Cap



Outlet



Joining Strip









M-FT-7-100 (with G200 grate or tile insert)

The unique and flexible design of our In2Gr8 modular drainage system ensures a solution can be found for almost all applications. We can pre-assemble to your requirements or provide in kit form to make your next drainage project easy.


FEATURES & BENEFITS:

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm, 50mm, 76mm or 89mm outlet
- · Optional fixed and removable strainer
- G200 wedge wire grate or tile insert
- Corners available 45 degree or 90 degree
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times
- · Epoxy coating available for pre-fabricated





Profile



Channel



Tile Insert



Outlet



Joining Strip



Grate



End Cap



Fixed and Removable









M-FT-7-125 (with G300 grate)


The unique and flexible design of our In2Gr8 modular drainage system ensures a solution can be found for almost all applications. We can pre-assemble to your requirements or provide in kit form to make your next drainage project easy.

FEATURES & BENEFITS:

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 89mm outlet
- Optional fixed and removable strainer
- G300 wedge wire grate
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times
- Epoxy coating available for pre-fabricated




Profile



Channel



Grate



End Cap



Outlet




Fixed and Removable Strainers




Joining Strip







Profile



PRODUCT CODE:

M-FT-7-150 (with G300 grate)

The unique and flexible design of our In2Gr8 modular drainage system ensures a solution can be found for almost all applications. We can pre-assemble to your requirements or provide in kit form to make your next drainage project easy.

FEATURES & BENEFITS:

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 89mm outlet
- Optional fixed and removable strainer
- G300 wedge wire grate
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- · Short lead times
- Epoxy coating available for pre-fabricated

Channel




End Cap



Fixed and Removable Strainers



Grate



Outlet



Joining Strip











M-FT-8-075 (with G200 grate or tile insert)


The unique and flexible design of our In2Gr8 modular drainage system ensures a solution can be found for almost all applications. We can pre-assemble to your requirements or provide in kit form to make your next drainage project easy.

FEATURES & BENEFITS:

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm or 50mm outlet
- G200 wedge wire grate or tile insert
- Corners available 45 degree or 90 degree
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times
- Epoxy coating available for pre-fabricated



Profile



Channel



Grate



Tile Insert



End Cap




Outlet



Joining Strip









M-FT-8-100 (with G200 grate or tile insert)

The unique and flexible design of our In2Gr8 modular drainage system ensures a solution can be found for almost all applications. We can pre-assemble to your requirements or provide in kit form to make your next drainage project easy.


FEATURES & BENEFITS:

- Manufactured using 316 grade stainless steel
- Available in kit form or pre-fabricated to your requirement
- Kit form includes a hole saw and sealant
- 38mm, 50mm, 76mm or 89mm outlet
- Optional fixed and removable strainer
- G200 wedge wire grate or tile insert
- Corners available 45 degree or 90 degree
- Joining strips available for continuous runs
- Typically used in showers, bathroom areas, balconies, courtyards and swimming pool areas
- Short lead times
- · Epoxy coating available for pre-fabricated





Profile



Channel



Tile Insert



Outlet



Joining Strip



Grate



End Cap



Fixed and Removable Strainers










FW-100TI-50 (50mm outlet)

For a seamless result in tiled areas the 3monkeez® tile insert point drain is the perfect finishing touch for a modern bathroom.


FEATURES & BENEFITS:


- Slimline for easy installation
- Removable tray
- In stock and available for immediate delivery
- Epoxy coating also available

Тор



Front












FW-130TI (103.1mm outlet) **FW-130TI-80** (73.9mm outlet)

For a seamless result in tiled areas the 3monkeez® tile insert point drain is the perfect finishing touch for a modern bathroom.


FEATURES & BENEFITS:


- Slimline for easy installation
- Removable tray
- In stock and available for immediate delivery
- Epoxy coating also available

Top



Front











FW-130TI-SS FW-130TI-BSS

For a seamless result in tiled areas the 3monkeez® tile insert point drain is the perfect finishing touch for a modern bathroom.


FEATURES & BENEFITS:

- Slimline for easy installation
- 1.2mm 304 grade stainless steel
- Removable tray
- In stock and available for immediate delivery
- Epoxy coating also available


Custom sizes available on request

- lead times apply

Тор



Front



Cross Section



FW-130TI-BSS (black epoxy coated)












Top



PRODUCT CODE:

FW-130WWI FW-130BWWI


The 3monkeez® wedge wire point drain is the perfect finishing touch for a modern bathroom, giving a seamless result. The drain features a slimline construction and a removable grate for easy cleaning and access.

FEATURES & BENEFITS:


- Slimeline for easy installation
- Removable grate
- G200 profile grate
- 89mm spigot
- 316 grade stainless steel
- In stock and available for immediate delivery
- Epoxy coating also available

Custom sizes available on request - lead times apply

Front



Side



FW-130BWWI (black epoxy coated)









M-FT-1


This flexible floor trough is typically used for commercial applications. It can be manufactured to any required length and width. It is adaptable to a range of grating options, and the size and position of the outlet can be manufactured to the customer requirements.

FEATURES & BENEFITS:


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Size and position of the outlet is manufactured to the customer's requirements
- Typically used for commercial applications
- Manufactured with your choice of grating
- · Loading as required


Custom made products incur a lead time


Top




Front














M-FT-2

This flexible floor trough is typically used for commercial applications. It can be manufactured to any required length and width. It is adaptable to a range of grating options, and the size and position of the outlet can be manufactured to the customer requirements.


FEATURES & BENEFITS:


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Size and position of the outlet is manufactured to the customer's requirements
- Typically used for commercial applications
- Manufactured with your choice of grating
- Loading as required
 Custom made products incur a lead time


Top




Front













M-FT-3


This floor grate and frame comes with a range of grating options and is ideal for both light and heavy duty applications.

FEATURES & BENEFITS:

- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Ideal for both light and heavy duty applications
- Manufactured with your choice of grating
- Loading as required


Custom made products incur a lead time







Front














M-FT-4

This flexible floor trough is typically used for commercial applications. It can be manufactured to any required length and width. It is adaptable to a range of grating options, and the size and position of the outlet can be manufactured to the customer requirements.


FEATURES & BENEFITS:


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Size and position of the outlet is manufactured to the customer's requirements
- Typically used for commercial applications
- Manufactured with your choice of grating
- Loading as required
 Custom made products incur a lead time


Тор




Front















M-FT-5

This flexible domestic grating solution is typically used in showers, bathrooms and balcony areas. It can be manufactured to any required length and width, making it a very flexible product. It is adaptable to a range of grating options, and the size and position of the outlet can be manufactured to the customer requirements.


FEATURES & BENEFITS:

- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Size and position of outlet is manufactured to the customer's requirements
- Typically used in showers, bathrooms and balcony areas
- Manufactured with your choice of grating
- · Loading as required

Custom made products incur a lead time



Тор




Bottom




Side













M-FT-6


This trough is designed to take a tile finish and is typically used in showers, bathrooms and tiled balcony areas. It can be manufactured to any required length and width, making it a very flexible product. The size and position of the outlet can be manufactured to the customer requirements.

FEATURES & BENEFITS:


- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Size and position of outlet is manufactured to the customer's requirements
- Tile tray depth can be modified to your requirement
- Typically used in showers, bathrooms and tiled balcony areas
- Accepts a tile finish

Custom made products incur a lead time






Front




Bottom











M-FS-1

This floor sump is typically used in commercial or industrial settings, as well as food preparation areas. Dimensions can be manufactured to the customer requirements and is adaptable to a range of grating options.


FEATURES & BENEFITS:

- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Optional fixed secondary strainer and removable strainer basket
- Typically used in commercial or industrial settings, as well as food preparation areas
- Manufactured with your choice of grating
- · Loading as required


Custom made products incur a lead time





Top




Front











M-SBGO (square bar)

- Modern lineal design
- Robust
- Designed for domestic and commercial applications
- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Light to heavy duty
- Grate manufactured from 6mm or 10mm stainless steel square bar

M-SBGO




PRODUCT CODE:


M-WWGO (wedge wire)

- Unique self-cleaning design
- Manufactured to required length and width, using a choice of either 304 or 316 grade stainless steel
- Aesthetically pleasing design
- · Loading as required
- Three profiles available (WW-G100, WW-G200 and WW-G300)

M-WWGO







WW-G100-304 (304 grade) **WW-G100-316** (316 grade)

Wire Size

2.25mmW x 3.50mmH. Gap 5.00mm

Support Bars


3.00mmW x 6.25mmH Gap 16.00mm

Wedge wire is a versatile material, suitable for drainage and screening applications. Wedge wire has high flow characteristics, as it provides a substantial clear opening in ratio to the overall surface area of the grate. This makes it ideal for drainage and wash down applications.


FEATURES & BENEFITS:

- 3 profiles available
- Convenient sheet size minimises wastage - 2400mm x 727mm
- 304 or 316 grade stainless steel
- Versatile and long lasting
- Flat bed manufacturing technique
 not rolled
- · Available off the shelf


Top




Side



Bottom







WW-G200-304 (304 grade)

WW-G200-316 (316 grade)

Wire Size

3.05mmW x 4.25mmH. Gap 3.55mm

Support Bars


3.00mmW x 6.25mmH. Gap 16.00mm

Wedge wire is a versatile material, suitable for drainage and screening applications. Wedge wire has high flow characteristics, as it provides a substantial clear opening in ratio to the overall surface area of the grate. This makes it ideal for drainage and wash down applications.

FEATURES & BENEFITS:


- 3 profiles available
- Convenient sheet size minimises wastage - 2400mm x 727mm
- 304 or 316 grade stainless steel
- Versatile and long lasting
- Flat bed manufacturing technique not rolled
- · Available off the shelf

Top







Side



Bottom









WW-G300-304 (304 grade) WW-G300-316 (316 grade)

WW-G300-DNS-304 (304 grade) **WW-G300-DNS-316** (316 grade)

Wire Size

5.00mmW x 5.00mmH. Gap 5.00mm


Support Bars

3.00mmW x 12.00mmH, Gap 22.00mm

Wedge wire is a versatile material, suitable for drainage and screening applications. Wedge wire has high flow characteristics, as it provides a substantial clear opening in ratio to the overall surface area of the grate. This makes it ideal for drainage and wash down applications.

FEATURES & BENEFITS:

- 3 profiles available
- Convenient sheet size minimises wastage - 1780mm x 727mm
- Non slip wedge wire sheet size -3140mm x 725mm
- 304 or 316 grade stainless steel
- Versatile and long lasting
- Flat bed manufacturing technique
 not rolled
- Available off the shelf



WW-G300-DNS-304 / WW-G300-DNS-316













Square Disabled Compliant Hand Basin

10.04 Disabled Compliant Wall Faced. Close Exupled Toilet Pan







Ambulant Wall Focett Turket Pan

Disobles Compliant Duni Fluit Chtern

10.09 Angled Gutz Volts













10.13 Door Signs

Stainless Steel Lewis Sink & Boxin Moor

10.21 Wolf Mounteil Bockrett



FEATURE PRODUCT

STAINLESS STEEL HAND BASIN FOR DISABILITY ACCESS

ideal for public amenities

- Conforms to Australian Standards for Disability Access – AS1428
- Ideal for aged care and hospitals
- Vandal resistant fixture vandal resistant access panel
 suits public amenities schools, sporting clubs
- Tapware can also be supplied and installed with the basin that conforms to the requirements of AS1428
- Fully welded seamless heavy duty stainless steel
- 🕓 Completely concealed plumbing with P trap installation



Code: HBD-R

*Registered Trademark 3markeer Pty Ltd







	REFERENCE NUMBER	ITEM	REFERENCE NUMBER	ITEM
	10.01	Round Disabled Compliant Hand Basin	10.12	Blue Door Signs - 150mm x 150mm
	10.02	Square Disabled Compliant Hand Basin	10.13	Blue Door Signs - 210mm x 180mm
	10.03	Disabled Compliant Wall Faced Toilet Pan	10.14	Silver Door Signs - 150mm x 150mm
	10.04	Disabled Compliant Wall Faced Close Coupled Toilet Pan	10.15	Silver Door Signs - 210mm x 180mm
	10.05	Ambulant Wall Faced Toilet Pan	10.16	Stainless Steel Lever Mixers
	10.06	Disabled Compliant Stainless Steel Dual Flush Cistern	10.17	Hob Mount Sensor Tap
	10.07	Toilet Seats	10.18	Wall Mount Sensor Tap
	10.08	Straight Grab Rails	10.19	Lever Handle Tapware
	10.09	Angled Grab Rails	10.20	In Wall Cistern (suits Toilet Pans)
	10.10	Folding Shower Seat, Baby Change Stations and Disabled Compliant Mirror	10.21	Back Rests
	10.11	Hand Dryer & Utility Shelves	10.22	Back Rests with Integrated Grab Rail
ı				



HBD-R


This wall mounted round disabled hand basin features a satin finish and conforms to AS1428 - Design For Access and Mobility. It is ideal for installation in public amenities, schools, nightclubs and more.


FEATURES & BENEFITS:


- AS1428 compliant
- 9 litre capacity
- Constructed from 1.2mm 304 grade stainless steel
- Satin finish
- 40mm outlet
- Access panel with vandal resistant screws
- Concealed plumbing and trap
- Suits P trap installation
- Left or right tap holes on request

In stock and available for immediate delivery













HBD-S

This wall mounted square disabled hand basin features a satin finish and conforms to AS1428 - Design For Access and Mobility. It is ideal for installation in public amenities, schools, nightclubs and more.

FEATURES & BENEFITS:

- AS1428 compliant
- 3.5 litre capacity
- Constructed from 1.2mm 304 grade stainless steel
- 300mm diameter bowl
- Satin finish
- 50mm splashback
- 40mm outlet
- Vandal resistant screws
- · Concealed plumbing and trap
- Suits P trap installation
- Left or right tap holes on request


In stock and available for immediate delivery




Top



Front



Side







WC-SSDP (P trap)
WC-SSDS (S trap)

The 3monkeez® disabled wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel toilet pan is necessary. They feature a rear inlet, perfect for use with in wall cisterns.

FEATURES & BENEFITS:

- Suitable for disabled applications
- Vandal proof design
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel


In stock and available for immediate delivery









Top




Rear



Side



Bottom



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.







PRODUCT CODE:

WC-SSDCCP (P trap)

WC-SSDCCS (S trap)

The 3monkeez® close coupled disabled wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel close coupled disabled pan is necessary.

FEATURES & BENEFITS:

- Suitable for disabled applications
- Vandal proof design
- No ligature points and concealed fixings
- Available in P trap or S trap
- · Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel


In stock and available for immediate delivery








Top




Front



Side

Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm. Mini stop to be

Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.





Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.



PRODUCT CODE: WC-SSAP (P trap) WC-SSAS (S trap)


The 3monkeez® ambulant wall faced toilet pan is perfect for public amenities, council rest areas, schools, nightclubs and other areas where a low maintenance stainless steel toilet pan is necessary. They feature a rear inlet, perfect for use with in wall cisterns.

FEATURES & BENEFITS:

- Suitable for ambulant applications
- Vandal proof design
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel


In stock and available for immediate delivery









Side



Bottom



Cross Section



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 105mm.









AB-CIS-DCDF (bottom entry) **AB-CIS-DCDF-SE** (side entry)

This high quality dual flush cistern features a WELS approved 3 star rating and a reversible inlet valve. It is also environmentally friendly with a water saving half flush feature.

AS1428 Compliant.

FEATURES & BENEFITS:

- AS1428 Compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 3 star WELS approved
- 50mm outlet


In stock and available for immediate delivery








Top



Front



Side







WC-3MSFSEAT

WC-SFSEAT

WC-SFSEAT-B (Black)

WC-CSFSEAT

WC-CSFSEAT-B (Black)

WC-CSFSEAT-BL (Blue)

WC-ASFSEAT

WC-3MDFSEAT

WC-DFSEAT

WC-3MSFSEAT: This single flap toilet seat is white and features a closed front.

WC-SFSEAT / WC-SFSEAT-B: This single flap toilet seat is white or black and features an open front.

WC-CSFSEAT / WC-CSFSEAT-B / WC-CSFSEAT-BL: This single flap toilet seat is white, black or blue and features a closed front.

WC-ASFSEAT: This single flap toilet seat is white, features a closed front and is 50mm in height.

WC-3MDFSEAT: This double flap toilet seat is white and features a closed front.

WC-DFSEAT: This double flap toilet seat is white and features a closed front.

All products are in stock and available for immediate delivery

WC-3MSFSEAT



Suitable for use with 3monkeez® pedestal and wall faced pans

WC-CSFSEAT WC-CSFSEAT-B (Black) WC-CSFSEAT-BL (Blue)



Suitable for use with all 3monkeez® pans. Ideal for use with 3monkeez® ambulant and disabled pans

WC-3MDFSEAT



Suitable for use with 3monkeez® pedestal and wall faced pans

WC-SFSEAT WC-SFSEAT-B (Black)



Suitable for use with 3monkeez® pedestal and wall faced pans

WC-ASFSEAT



Suitable for use with 3monkeez® pedestal pans to obtain height required for disabled use

WC-DFSEAT



Suitable for use with 3monkeez® pedestal and wall faced pans







CF-300-SS




CF-400-SS




CF-450-SS



CF-600-SS



CF-700-SS



3monkeez STAINLESS STEEL EVOLUTIONS Innovate · Create · Deliver

PRODUCT CODE

CF-300-SS

CF-400-SS

CF-450-SS

CF-600-SS

CF-700-SS


FEATURES & BENEFITS:

- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish
- Other sizes available upon request

All grab rails are manufactured to comply with clause 17 of AS 1428.1-2009 for design and construction.

For horizontal fixing of grab rails, mount 800 mm to 810 mm above floor level.

CF-077-LH-SS / CF-077-RH-SS (left hand shown)



CF-454-SS







PRODUCT CODE:

CF-077-LH-SS

CF-077-RH-SS

CF-454-SS

CF-457-LH-SS

CF-457-RH-SS

CF-877-LH-SS

CF-877-RH-SS


CF-966-LH-SS

CF-966-RH-SS

FEATURES & BENEFITS:

- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish
- Other sizes available upon request


CF-457-LH-SS / CF-457-RH-SS (left hand shown)







CF-877-LH-SS / CF-877-RH-SS (left hand shown)





CF-966-LH-SS / CF-966-RH-SS (left hand shown)







All grab rails are manufactured to comply with clause 17 of AS 1428.1-2009 for design and construction.

For horizontal fixing of grab rails, mount 800 mm to 810 mm above floor level.



WA-BCS-H

(horizontal baby change station)

WA-BCS-V

(vertical baby change station)

- Manufactured from ABS plastic
- · Anti-microbial plastic on all baby contact surfaces
- Inbuilt shelf
- 546mm x 851mm x 102mm

WA-SBCS

(horizontal baby change station)

- Manufactured from ABS plastic
- Stainless steel outer shell
- Anti-microbial plastic on all baby contact surfaces
- · Inbuilt shelf
- 585mm x 940mm x 104mm

WA-FSS

(folding shower seat)

- AS1428 compliant
- One piece high pressure 13mm laminate seat with 3 drainage slots
- Fold away legs for increased support
- 25mm S/S tube legs & frame
- 960mmL x 400mmW

WA-MIR-DC

(disabled compliant mirror)

- AS1428 compliant
- Satin stainless steel frame with 6mm thick plate glass
- Wall brackets secured with anti-vandal screws
- 450mmW x 1000mmH

WA-BCS-H



WA-SBCS



WA-FSS



WA-MIR-DC



WA-HD (hand dryer)

- 500W brush motor
- Infrared automatic
- Less than 15 seconds dry time
- 55 degree air output temperature
- 60 Seconds auto shut off
- 220mm x 248mm x 145mm

WA-HD



WA-US300 (300mm utility shelf) WA-US457 (457mm utility shelf)

- AS1428 compliant
- 1.5mm 304 grade satin stainless steel
- · Exposed wall fixings
- WA-US300
- 300mmL x 128mmD x 105mmH
- WA-US457
- 457mmL x 128mmD x 105mmH

WA-US300 / WA-457













WA-DS-FT

WA-DS-MT

WA-DS-UT

WA-DS-DT-LH

WA-DS-DT-RH

WA-DS-S

WA-DS-BC

3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 150mm x 150mm
- Blue ABS plastic
- Includes braille

























Unisex Ambulant Toilet

Unisex Toilet LH

& Parent Room

WAGS-LIGTPS LH









3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 210mm x 180mm
- Blue ABS plastic

PRODUCT CODE:

WA-DS-FAT

WA-DS-MAT

WA-DS-FDT-LH

WA-DS-FDT-RH

WA-DS-MDT-LH

WA-DS-MDT-RH

WA-DS-UDTPR-RH

WA-DS-UDTS-LH

WA-DS-UDTS-RH

WA-DS-UAT-LH WA-DS-UAT-RH WA-DS-UDTPR-LH

Includes braille









WA-SDS-FT



WA-SDS-MT

WA-SDS-FT

WA-SDS-MT

WA-SDS-UT

WA-SDS-DT-LH

WA-SDS-DT-RH

WA-SDS-S

WA-SDS-BC

3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 150mm x 150mm
- Silver ABS plastic
- Includes braille



WA-SDS-UT



WA-SDS-DT-RH



WA-SDS-DT-LH



WA-SDS-S



WA-SDS-BC





WA-SDS-FAT

WA-SDS-MAT

WA-SDS-FDT-LH

WA-SDS-FDT-RH

WA-SDS-MDT-LH

WA-SDS-MDT-RH

WA-SDS-UAT

WA-SDS-UAT-LH

WA-SDS-UAT-RH

WA-SDS-UDTPR-LH

WA-SDS-UDTPR-RH

WA-SDS-UDTS-LH

WA-SDS-UDTS-RH

3monkeez® have a range of washroom accessories available to complement our range of washroom products.

FEATURES & BENEFITS:

- 210mm x 180mm
- Silver ABS plastic
- Includes braille































T-3MLB4MIX / T-3MLB6MIX



T-3MLS4MIX / T-3MLS6MIX



PRODUCT CODE

T-3MLB4MIX (4 Star)

T-3MLB6MIX (6 Star)

T-3MLS4MIX (4 Star)

T-3MLS6MIX (6 Star)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar and Bib Taps and more.

FEATURES & BENEFITS:

- Stainless steel construction
- Lever handle for hands free operation
- Includes flexi hoses 1/2" FI BSP
- Recommended working pressure 500kPa
- Maximum operating temperature 80°
- Available in WELS 4 Star 7.5LPM or WELS 6 Star 4.5LPM

In stock and available for immediate delivery

GUARDIAN*







Details accurate at time of print. Whilst all care has been taken in compiling this information, designs & dimensions shown are indicative only and should not be relied upon without prior approval.





Mains Powered PRODUCT CODE:

Battery Powered

T-GFHST-M (mains powered)

T-GFHST-M-TV

(includes tempering valve)

T-GS-M (transformer only)

T-GFHST-B (battery powered)

T-GFHST-B-TV

(includes tempering valve)

T-GS-B (battery pack only)


The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar and Bib Taps and more.


FEATURES & BENEFITS:


- Operating pressure 30kPa 500kPa
- Maximum water temperature 80°C
- Sensor range nominal: 102mm - 127mm
- Hygienic rinse time, adjustable from 0.5 - 20 minutes
- Mains powered or Battery powered -6V Lithium
- WELS 6 Star 4.5L/Min


 In stack and available for

In stock and available for immediate delivery













T-GFWST-M (mains powered - includes in wall installation kit)


T-GFWST-B (battery powered - includes in wall installation kit)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar and Bib Taps and more.

FEATURES & BENEFITS:

- 170mm long chrome plated fixed spout
- Operating pressure 30kPa 500kPa
- Maximum water temperature 80°C
- Sensor range: 50mm 100mm
- Hygienic rinse time, adjustable from 0.5 - 20 minutes
- Mains powered or Battery powered -6V Lithium
- WELS 6 Star 4.5L/Min

In stock and available for immediate delivery





LPT

PRODUCT CODE:

LPT (lever handle pillar tap)
LBT (lever handle bib tap)

The 3monkeez® range of tapware is perfectly suited for commercial kitchens, schools, canteens, bars, cafés, food processing facilities or any other commercial setting. The range includes Pre-rinse Units, Mixers, Hot Wash Reels, Sensor Taps, Bubblers, Pillar and Bib Taps and more.

FEATURES & BENEFITS:

- LPT 1/2" MI BSP Inlet
- LBT 1/2" MI BSP Inlet
- WELS 6 Star 4.5LPM
- 6 second timed flow
- 500 kPa maximum working pressure

In stock and available for immediate delivery

LBT







CIS-IWFA

- Suits 3monkeez® pedestal and wall faced toilet pans
- One piece tank manufactured from HDPE
- 80mm depth
- Operating pressure 10-1000kPa
- 3 star WELS

CIS-IWFA-B1


- Mechanical dual flush plate
- Square buttons
- Plastic construction
- Satin and chrome finish

CIS-IWFA-BD

- AS1428 compliant
- Mechanical dual flush plate
- · Round buttons
- Vandal resistant
- Metal construction
- Stainless steel and chrome finish


CIS-IWFA






CIS-IWFA-B1





CIS-IWFA-BD







10.21

PRODUCT CODE:

WA-BR

- 32mm diameter
- 78mm flange
- 304 grade stainless steel
- Satin finish

WA-BR






BR-400-CF-SS

- 96* tamperproof, sanitary safe, polar white, UV stabilised high density polyethylene (HDPE) with rounded edge Back support
- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish

BR-400-CF-SS





BR-440-CF-SS

- 96° tamperproof, sanitary safe, polar white, UV stabilised high density polyethylene (HDPE) with rounded edge Back support
- Includes 450mm extension
- 32mm diameter x 1.2mm thickness
- 78mm clam flange
- 304 grade stainless steel
- Satin finish

BR-440-CF-SS









WA-BRGR-45LH WA-BRGR-45RH

- 415mm rear grab rail length
- 834mm x 700mm side grab rail length
- 32mm diameter
- 78mm flange
- 304 grade stainless steel
- Satin finish

WA-BRGR-45LH / WA-BRGR-45RH



WA-BRGR-90LH WA-BRGR-90RH

- 415mm rear grab rail length
- 960mm x 600mm side grab rail length
- 32mm diameter
- 78mm flange
- 304 grade stainless steel
- Satin finish

WA-BRGR-90LH / WA-BRGR-90RH







Helps you specify Made to Order Products

Use the sheets over page covering our made to order products.

- Clarifies what questions need to be asked when ordering
- Ensures the product is "what you want" by defining dimensions, top holes, configurations and accessories
- Makes the ordering process simple and transparent
- Avoids ambiguity
- Sets out lead times
- Makes quoting to your requirements more accurate and faster to determine
- Ensures customer satisfaction through clear communication of all relevant details

Visit

www.imonkesc.com.co

to download the sheets, print off and return fax or scan

NOTES






READY TO TAKE YOUR CALL NOW.

We will work with you to make any job a success.

Our team have a background in the same industry as you, so we can talk your language to deliver the right products and service as efficiently as possible.

11.01 M-HF - Hand Fabricated Bowls 11.16 M-FT-8 - In2Gr8 Linear Drain 11.02 M-LS-1 - Laboratory Bowl 11.17 M-FT-1 - Floor Trough 11.03 M-PT-1 - Pattern Trough 1 11.18 M-FT-2 - Floor Trough 11.04 M-PT-2 - Pattern Trough 2 11.19 M-FT-3 - Grate & Frame
11.03 M-PT-1 - Pattern Trough 1 11.18 M-FT-2 - Floor Trough
11.04 M-PT-2 - Pattern Trough 2 11.19 M-FT-3 - Grate & Frame
11.05 M-PT-3 - Pattern Trough 3 11.20 M-FT-4 - Floor Trough
11.06 M-PT-4 - Pattern Trough 4 11.21 M-FT-5 - Floor Trough
11.07 M-PT-5 - Flushline Trough 11.22 M-FT-6 - Smart Trough
11.08 M-PT-6 - Art Trough 11.23 M-FS-1 - Floor Sump
11.09 M-PT-7 - Wallsend Pattern Trough 11.24 M-SBGO / M-WWGO - Grate Only
11.10 PT-7 - Wallsend Pattern Trough Off The Shelf 11.25 M-DSUR - Deluxe Slab Urinal
11.11 M-PT-8 - Practical Activites Trough 11.26 M-SSUR - Standard Slab Urinal
11.12 M-PT-9 - Practical Activities Trough with Hob 11.27 M-SWHUR - Wall Hung Urinal
11.13 M-PWD - Pattern Trough PWD 11.28 CIS-60-1 - Cistern Case
11.14 M-FT-7 - In2Gr8 Linear Drain - G200 11.29 M-SS-MIR - Stainless Steel Mirror
11.15 M-FT-7 - In2Gr8 Linear Drain - G300



Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number: Name: Date:

Signature: Phone Number:



40	1				O E II
Laboratory Bo	owl				
2. Dimensions Internal Width - Internal Depth - Height - Flange Size -	mm mm mm			4	
3. Outlet Size (to suit) 40mm	50mm	■ 90mm	☐ 125mm	on re-	quested
4. Outlet Position Centremm (in from remm (in from let	•	☐ Centre ☐ Centre			
5. Stainless Steel Grade 304	e or	□ 316			
6. Thickness 1.2mm	or	□ 1.5mm	or	□ 2m	m
7. Corners Squared Corners	or	25mm Radiu	ıs Corners		
8. Application Commercial	or	☐ Domestic			
9. Fixing Clips Yes	or	□ No			
Pre Fabricated Items ar The Lead Time On MTC Please Fax Completed F	Products Is 10-	15 Working Days	+ Delivery	eez.com.au	
Company: Name: Signature:		Dat	chase Order Num te: one Number:	nber:	


WALL MOUNT TROUGH



Pattern Trough 1

- 1. Quantity _____
- 2. Length _____mm
- 3. Outlet Position
- ☐ Centre or
- 4. Stainless Steel Grade
- □ 304 or
- 5. Splashback (extra cost)
- □ No o
- 6. Plug and Waste (extra cost)
- No

or





- ____mm (to the centre of the outlet from the left)
- Yes Height ____mm
- ☐ Yes

1 316

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number:

Name: Date:

Signature: Phone Number:

As Required

WALL MOUNT TROUGH



Pattern Trough	2	
1. Quantity		21_ As Required
2. Length	_mm	
3. Outlet Position Centre	or	mm (to the centre of the outlet from the left)
4. Stainless Steel Grade ☐ 304	or	□ 316
5. Splashback (extra cos	st) or	☐ Yes - Heightmm 21 ==
6. Plug and Waste (extr	a cost) or	☐ Yes
7. Tap Holes (optional) No	or	☐ Yes Number of Tap Holes

Please draw Tap Holes clearly showing dimensions

Tap Hole Size - 20mm

☐ 22.5mm □ 25mm ■ 30mm ■ 35mm

Pre Fabricated Items are Non Returnable and Non Refundable The Lead Time On MTO Products Is 10-15 Working Days + Delivery Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:	Purchase Order Number:
Name:	Date:

Phone Number: Signature:

WALL MOUNT TROUGH



Pattern Trough 3

As Required

- 1. Quantity _____
- 2. Length _____mm
- 3. Outlet Position
- ☐ Centre or
- 4. Stainless Steel Grade
- **□** 304 o
- 5. Splashback (extra cost)
- □ No or
- 6. Plug and Waste (extra cost)
- ☐ No
- or

- ____mm (to the centre of the outlet from the left)
- **3**16
- Yes Height _____mn
- ☐ Yes

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:

Purchase Order Number:

Name:

Date:

Signature:

WALL MOUNT TROUGH



Pattern Trough 4

0	0
	0

mm (to the centre of the outlet from the left)

,	
7 Lenath -	m

1. Quantity -

 Lengen	

3.	Outlet Position	
	Centre	

4.	Stainless	Steel	Grade
	201		

ш	304			0

5. Splashback (extra co

□ No	o
------	---

6.	Plua	and	Waste	(extra	cost)

□ No	or
------	----



316



Number of Tap Holes - ___

Tap Hole Size - 🗖 20mm

22.5mm

☐ 25mm ☐ 30mm

□ 35mm

Please draw Tap Holes clearly showing dimensions

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery

Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:

Purchase Order Number:

Name:

Date:


Signature:

DROP IN TROUGH



Flushline Trough

- 1. Quantity _____
- 2. Length _____mm
- 3. Outlet Position
- ☐ Centre or
- 4. Stainless Steel Grade
- **□** 304 o
- 5. Plug and Waste (extra cost)
- □ No or



Fixing Points V

____mm (to the centre of the outlet from the left)

316

☐ Yes

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number:

Name: Date:

WALL MOUNT TROUGH



Art Trough

	As Required	
	26	
4	-	

- 1. Quantity _____
- 2. Length _____mm
- 3. Outlet Position
- ☐ Centre or
- 4. Stainless Steel Grade
- **304** or
- 5. Splashback (extra cost)
- ☐ No
- 6. Plug and Waste (extra cost)
- No
- 7. Tap Holes (optional)
- □ No or

_____mm (to the centre of the outlet from the left)

- **1** 316
- ☐ Yes Height mm
- ☐ Yes
- ☐ Yes

Number of Tap Holes - _____

Tap Hole Size - 20mm

- ☐ 22.5mm ☐ 25mm
- 30mm
- □ 35mm

Please draw Tap Holes clearly showing dimensions

Pre Fabricated Items are Non Returnable and Non Refundable The Lead Time On MTO Products Is 10-15 Working Days + Delivery Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:

Purchase Order Number:

Name:

Date:

Signature:

As Required

As Required

WALL MOUNT TROUGH	WALL	. MOI	JNT	TRO	UGH
-------------------	------	-------	-----	-----	-----



7. Plug and Waste (extra cost)

■ No

■ No

Wallsend Patter	rn Trough	
1. Quantity	-	At Dischard
2. Length	mm	A sequed
3. Outlet Position Centre	or	mm (to the centre of the outlet from the left)
4. Stainless Steel Gr ■ 304	ade or	□ 316
5. Splashback (extra	ı cost)	
□ No	or	Yes - Heightmm
6 Lockable Lid		

☐ Yes

☐ Yes

8. Tap Holes (optional)					
□ No o	r	☐ Yes	s (Please circle)	Bubblers	Pillar Taps
		Numb	er of Tap Holes		•
		Tap H	ole Size - 🗖 20mm		
		•	☐ 22.5mm		
			☐ 25mm		
			☐ 30mm		
			☐ 35mm		
O Dro Dlumbing (overa co	ct\		□ Vas		

Please draw Tap Holes clearly showing dimensions

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery


The Lead Time On MTO Products Is 10-15 Working Days + Delivery Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:	Purchase Order Number

Name: Date:

WALL MOUNT TROUGH





Company: Purchase Order Number: Name: Date:

Phone Number: Signature:

As Required -

DR	OP	IN	TRO	วเม	GH
$\boldsymbol{\nu}$		T1.4	11//		UI I



A Comment					- a
0			588	7	
Practical Activit	ies Trough		90		
1. Quantity	_	0	9		
2. Length	mm			As Requested	1.2
3. Outlet Position Centre	or	□mm (t	to the centre o	f the outlet from	the left)
4. Stainless Steel G	rade				
□ 304	or	3 16		- 44	15 -
5. Overflow Hole Re No	equired or	☐ Yes		4	122
6. Plug and Waste (No	extra cost) or	☐ Yes		280	
7. Tap Holes (option ■ No	nal) or				
8. Pre Plumbing (ex		No or	showing dimer	nsions	—
		ırnable and Non Refun s 10-15 Working Days			

Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:	Purchase Order Number

Name: Date:

Phone Number: Signature:

- As Required -

DROP IN TROUGH



1	The same of	○ ○ ○ Overflow	12 88
0		\$ 280	! !
Practical Activities Troug	h With Hob	Sc	ilt Bubbler
1. Quantity		47	en en
2. Length	_mm	As Required La	00
3. Outlet Position Centre	or	mm (to the centre of the outlet from t	ne left)
4. Stainless Steel Grade ☐ 304	or	□ 316	
5. Overflow Hole Require No	ed or	☐ Yes	
6. Hob Position Left	or	Right 280	
7. Plug and Waste (extra	a cost) or	☐ Yes	
8. Tap Holes (optional) No	or	Yes	
		Number of Tap Holes	
		Tap Hole Size - ☐ 20mm Hob Tap Hole Size - ☐ 22.5mm ☐ 25mm ☐ 30mm ☐ 35mm	☐ 20mm ☐ 22.5mm ☐ 25mm ☐ 30mm ☐ 35mm
9. Pre Plumbing (extra c	ost) 🗖 No	or Yes	
	Please draw	Tap Holes clearly showing dimensions	
			\dashv
Pre Fabricated Items are	e Non Returnabl	le and Non Refundable	
The Lead Time On MTO	Products Is 10-	15 Working Days + Delivery	

Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Purchase Order Number: Company: Name: Date:

Signature:

WALL MOUNT TR	OUGH	8 067 8 150
Pattern Trough P\	WD	15 0
1. Quantity		
2. Length	_mm	R25
3. Outlet Position Centre	or	mm (to the centre of the outlet from the left)
4. Stainless Steel Grade■ 304	or	□ 316
5. Splashback (extra cos ■ No	t) - Standard 1 or	50mm Yes - Heightmm
6. Radius To External Only	or	■ External and Internal
7. Plug and Waste (extra	or cost)	☐ Yes
8. Tap Holes (optional)No9. Pre Plumbing (extra contents)	or ost) □ No	☐ Yes Number of Tap Holes Tap Hole Size - ☐ 20mm ☐ 22.5mm ☐ 25mm ☐ 30mm ☐ 35mm or ☐ Yes
5. The Hambling (extra c		Tap Holes clearly showing dimensions
The Lead Time On MTO	e Non Returna Products Is 10	ble and Non Refundable 0-15 Working Days + Delivery 17 3111 or Email To orders@3monkeez.com.au
Company: Name:		Purchase Order Number: Date:

			59.6 / 84.6 / 109.6 53.2 / 78.2 / 103.2 8
1. Wedge Wire	or	☐ Tile Insert (Tile Insert Not Av	vailαble for 59.6mmW)
2. Overall Width 59.6 (50mm grate wi	dth)	■84.6 (75mm grate width)	■109.6 (100mm grate width)
3.	or	☐ Pre Fabricated	
4. Length	_mm		
5. Quantity			
6. Is this a straight run? Yes	or	■ No (please send sketch)	
7. Outlet Size Suit 59.6mmW Channel 38mm		Suit 84.6mmW Channel ☐ 38mm ☐ 50mm	Suit 109.6mmW Channel 38mm 50mm 76mm 89mm
8. Fixed and Removable Yes	Strainer - S or	uits 89mm Outlet Only (Optional No	- Additional Cost)
9. Outlet Position (Not F	•	Kit Form Up to 2400mm) mm (in from left) to ce	ntre of outlet (minimum = 100mm)
10. Epoxy Coating Requ ☐ No	ired (Optior or	nal - Additional Cost) - Available F Yes - Colour	or Pre Fabricated Only ——
		ut Kit Forms are Non Returnable 6 627 3111 or Email To orders@3m	
Company: Name: Signature:		Purchase Order Date: Phone Number:	Number:

			31.2	132.2 / 157.2 125.8 / 150.8	j
1. Overall Width 132.2 (125mm Grate	Width)	■ 157.2 (150mm Grate	e Width)	R1.3	
2.	or	☐ Pre Fabricated			
3. Length	_mm				
4. Quantity					
5. Outlet Size Suit 132.2mmW Chann 89mm	el	Suit 157.2mmW Chanr ■89mm	nel		
6. Fixed and Removable Yes	Strainer - So or	uits 89mm Outlet Only (Opti	ional - Addition	al Cost)	
7. Outlet Position (Not I	•	Kit Form Up to 1800mm) mm (in from left)	to centre of ou	tlet (minimum = 10)0mm)
8. Epoxy Coαting Requir	red (Optiona or	ıl - Additional Cost) - Availab Yes - Colour		cated Only	
	STRAIGH	T RUNS ONLY AVAILABLE FO	OR THIS PROD	UCT	

Pre Fabricated Items and Custom Cut Kit Forms are Non Returnable and Non Refundable Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number:

Name: Date:

		84.6 / 109.6
		75.2 / 103.2
1. Wedge Wire	or	☐ Tile Insert
2. Overall Width 84.6 (75mm grate wi	dth)	■109.6 (100mm rate width)
3. Kit Form	or	☐ Pre Fabricated
4. Length	_mm	
5. Quantity		
6. Is this a straight run? ☐ Yes	or	■ No (please send sketch)
7. Outlet Size Suit 84.6mmW Channel ■ 38mm ■ 50mm		Suit 109.6mmW Channel 38mm 50mm 76mm 89mm
8. Fixed and Removable	Strainer - S	uits 89mm Outlet Only (Optional - Additional Cost)
☐ Yes	or	□ No
9. Outlet Position (Not R Centre	equired For or	Kit Form Up to 2400mm) mm (in from left) to centre of outlet (minimum = 100mm)
10. Epoxy Coating Requi	ired (Optior or	nal - Additional Cost) - Available For Pre Fabricated Only Yes - Colour
		ut Kit Forms are Non Returnable and Non Refundable 627 3111 or Email To orders@3monkeez.com.au
Company: Name:		Purchase Order Number: Date: Phone Number:



		a
		4

			1
Floor Trough	Į	As Required 18 🛱	-
1. Quantity			
2. Overall Dimensions			
Lengthmm			
Width (If different to drawin	ng)n	nm	
Depth (if different to drawin	ıg)n	nm	
3. Grating Profile			
☐ Square Bar		■ Wedge Wire	
Pick One Gx6 Square 10x10 Squa Non Slip Squ	re Bar	Pick One WW-G100 Wedge Wir WW-G200 Wedge Wir WW-G300 Wedge Wir	e
4. Stainless Steel Grade		270 25	
□ 304 or	316	180 1	
5. Removable and Fixed Stro	iner		
☐ Yes or	☐ No	100000	
6. Heel Guard		Choice of Grafii	
☐ Yes or	■ No	fixed Strainer	
7. Outlet Sizemı	m	- 200 +	
8. Outlet Position			
mm (in from left)	or 🗖 Cen	tre 🕦 A	
mm (in from front)	or 🔲 Cen	itre	
9. Load Class			
☐ Pedestrian			
☐ Cars/Bikes		Ø153 8	9
■ Light Commercial		1 9	1
■ Heavy Commercial		091	_
Pre Fabricated Items are No		ion Refundable	
The Lead Time On MTO Prod		3 3	
Please Fax Completed Form	To U2 9627 3111 or	r Email To orders@3monkeez.com.au	
Company:		Purchase Order Number:	

Name:

Date:

Signature:

Signature:


		As Required	1
		Ą	2888
Floor Trough		As Required	
1. Quantity	_	- A	
2. Overall Dimensions			88
Lengthmm		2094	33.22
Width (if different to drawing)		- A	1
Depth (if different to drawing)	mm		
3. Grating Profile Square Bar		☐ Wedge Wire	
Pick One		Pick One	
☐ 6x6 Square Bar		■ WW-G100 We	dge Wire
□ 10x10 Square Bar		☐ WW-G200 We	
☐ Non Slip Square Bar		☐ WW-G300 We	dge Wire
4. Stainless Steel Grade	1 246	-	
_	316		
5. Removable and Fixed Strainer Yes or	l No	Т	\neg
	110		
6. Heel Guard ☐ Yes or ☐	No		
7. Outlet Size - mm			
8. Outlet Position			
mm (in from left) or	□ Centre		
mm (in from front) or	Centre		
9. Load Class			
■ Pedestrian			
☐ Cars/Bikes			
Light Commercial			
☐ Heavy Commercial Pre Fabricated Items are Non Returnal	hle and Non Pefi	indable	
The Lead Time On MTO Products Is 10			
Please Fax Completed Form To 02 962			
Company:	Pure	chase Order Number:	
Name:	Dat		

			s Required -	H	s Require	-d	5 40
Grate and Frame 1. Quantity			AS R	B	E	Fixing T	abs
2. Overall Dimensions					9	Choice of	Grafing
Lengthn					7	1	
Widthm					111	-	
Depth (if different to dr	awing)		m	m	11		months on
4. Stainless Steel Grade ☐ 304 5. Heel Guard	iquare Bar o Square Ba	1 3			Pic	WW-G200	Wedge Wire Wedge Wire Wedge Wire
☐ Yes	or		0				
6. Load Class Pedestrian Cars/Bikes Light Commercial Heavy Commercial							

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number:

Name: Date:



Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number:

Name: Date:

Signature:

	As Required	As Required —
Floor Trough	22	au l
1. Quantity		E
2. Overall Dimensions Lengthmm Widthmm Depth (if different to drawing)	mm	
3. Grating Profile		Madaa Wira
Square Bar Pick One		☐ Wedge Wire Pick One
6x6 Square Bar 10x10 Square Bar Non Slip Square Ba	ır	☐ WW-G100 Wedge Wire ☐ WW-G200 Wedge Wire ☐ WW-G300 Wedge Wire
4. Stainless Steel Grade ☐ 304 or	3 16	
5. Heel Guard ☐ Yes or	□ No	
6. Outlet Sizemm		
7. Outlet Positionmm (in from left)mm (in from front)	or Centre	
8. Load Class Pedestrian Cars/Bikes Light Commercial Heavy Commercial		
Pre Fabricated Items are Non Retu The Lead Time On MTO Products Is Please Fax Completed Form To 02 9	s 10-15 Working [Days + Delivery
Company:		Purchase Order Number:
Name:		Date:

/ /	-	As Required	- 12
1		Tiles and Grout Inset (Not Supplied]
Smart Trough	11	A-+	
1. Quantity	8 1 2		051
2. Overall Dimensions		A -	
Lengthmm			
Widthmm			
Depth (if different to drawing)	mm		9 Want 2
Height Required For Tile Insert Tray	mm		1 0 0
3. Stainless Steel Grade ☐ 304 or ☐	316		8 000000 5
4. Outlet Sizemm			
5. Outlet Positionmm (in from left) ormm (in from front) or	□Centre □Centre		

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number:

Name: Date:

Floor Sump			00000000000000000000000000000000000000
1. Quantity			
2. Overall Dimension	ıs		00000000000000000000000000000000000000
Length			**************************************
Width		mm	
Depth (if different to	o arawing) -		
3. Grating Profile Square Bar			■ Wedge Wire
Pick On	6		Pick One
□ 6x6 □ 10x	Square Bar 10 Square Bo Slip Square		□ WW-G100 Wedge Wire □ WW-G200 Wedge Wire □ WW-G300 Wedge Wire
4. Stainless Steel Gr ☐ 304	ade or	□ 316	├ ^
5. Removable and Fi			
Yes	or	□ No	
6. Heel Guard			0.93
Yes	or	□ No	1-11-
7. Outlet Size	mm		8 - ^
8. Outlet Position			194
mm (in from	ı left)	or Centre	12
mm (in from	r front)	or 🔲 Centre	
9. Load Class			001000000000000000000000000000000000000
■ Pedestrian			0
Cars/Bikes	·Ī		
☐ Light Commercial			274
		eturnable and Non Refun	dable
The Lead Time On N	ATO Product	s Is 10-15 Working Days	+ Delivery
Please Fax Complete	ed Form To 0)2 9627 3111 or Email To	orders@3monkeez.com.gu

Company: Purchase Order Number: Name: Date:




		•	
1. Square Bar Pick One 6x6 Square Bar 10x10 Square Ba	ar		□ Wedge Wire Pick One □ WW-G100 Wedge Wire □ WW-G200 Wedge Wire □ WW-G300 Wedge Wire
2. Quantity			
3. Length Width Depth	_mm		
4. Stainless Steel Grade 304	or	3 16	
5. Heel Guard ☐ Yes	or	□ No	
6. Load Class Pedestrian Cars/Bikes Light Commercial Heavy Commercial			
Pre Fabricated Items at The Lead Time On MTC			

The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number: Name: Date:

	14 323 22
	1 11 /
Deluxe Slab Urinal	1 2
1. Quantity	11117
2. Lengthmm	
3. Inlet Quantity	9 02 20/
(Standard = 1 Inlet - 0-1800, 2 Inlet	s - 1800-3600, 3 Inlets - >3600)
4. Inlet Type Top	or Rear Pick One 490 Male Elbow Female Socket
	Straight Thread
5. Inlet Size □ 20mm BSP of 6. Outlet Position □ Centre or □ 152mm (in from wall) or (For a 93mm Outlet - Minimum = 12	25mm BSP or 40mm BSP or Other mm (in from left) To centre of outlet mm (in from wall) To centre of outlet comm, Maximum = 400mm (Please Note Outlet Will Be Under Grate))
	OPTIONAL (extra cost)
■ Nut and Washer (URNNW)	☐ Sparge Adaptor (URNNW-1) ☐ End Panel/s (Please circle)
Qty	Qty - LEFT RIGHT
☐ Flushpipe	Pull Chain Cistern
600mmL, 12mm Offset - M-F	_
Qty	Qty
600mmL, Straight - M-FP600	
Qty	Qty
Other - Pleαse Specify Qty	☐ Right Side Inlet - AB-CIS-PC-SE-R Qty
Pre Fabricated Items are Non Retur	nable and Non Refundable
The Lead Time On MTO Products Is	10-15 Working Days + Delivery
Please Fax Completed Form To 02 9	627 3111 or Email To orders@3monkeez.com.au
Company:	Purchase Order Number:
Name:	Date:
Signature:	Phone Number:



Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company: Purchase Order Number:

Name: Date:

Signature: Phone Number:

Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery



Name: Signature:

)	SIGN	OFF	SHE	EETS

Well Horn Living			110 8
Wall Hung Urinal 1. Quantity			**** S
2. Length mm			8
3. Inlet Quantity -			25
(Standard = 1 Inlet - 0-1800, 2 Inlets -	1800-3600, 3 Inl	ets - >3600)	
4. Inlet Type	or		
5. Inlet Size 20mm BSP or	25mm BSP	or 40mm B	SP or 🗖 Other
6. Outlet Position			
☐ Centre or	□mm	(in from left) To ce	entre of outlet
	OPTIONAL (ex	xtra cost)	
Nut and Washer (URNNW) Qty	Sparge Adap Qty	ptor (URNNW-1)	Domed Grate (URNG) Qty
☐ Flushpipe		☐ Pull Chai	n Cistern
☐ 600mmL, 12mm Offset - M-FP60 Qty	00-C		m Inlet - AB-CIS-PC
600mmL, Straight - M-FP600-S Qty			side Inlet - AB-CIS-PC-SE-L
☐ Other - Please Specify		-	Side Inlet - AB-CIS-PC-SE-R
Qty		Qty -	
Pre Fabricated Items are Non Returnal The Lead Time On MTO Products Is 10 Please Fax Completed Form To 02 962	-15 Working Day	rs + Delivery	ez.com.au
Company:	Pu	rchase Order Numb	per:





Please Clearly Draw Holes on Diagrams Below. Hole Size/s and All Dimensions Must Be Shown.

Cistern Case

1. Quantity - _____


Top Of Cistern





Bottom Of Cistern





Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:


Purchase Order Number:

Name:

Date:

Signature:





1

Quantity - _____

2.

Length (A) - _____mm

3.


Height (B) - _____mm

4. Stainless Steel Grade

304

or

316



Pre Fabricated Items are Non Returnable and Non Refundable
The Lead Time On MTO Products Is 10-15 Working Days + Delivery
Please Fax Completed Form To 02 9627 3111 or Email To orders@3monkeez.com.au

Company:

Name:

Signature:

Purchase Order Number:

Date:

